



Publications on Molecular Beacons

Table of contents

- I. Basic papers on molecular beacons
 - II. Review papers on molecular beacons
 - III. Papers on molecular beacons used for detection of DNA and RNA in living cells
 - IV. Papers on molecular beacons used in real-time PCR for SNP and mutation detection assays
 - V. Papers on molecular beacons used in real-time PCR for DNA, RNA and pathogenic detection assays
 - VI. Papers on molecular beacons used in real-time NASBA assays
 - VII. Papers on molecular beacons used on arrays
 - VIII. Papers on general application of molecular beacons
-

I. Basic papers on molecular beacons

1. Bonnet G, Tyagi S, Libchaber A, and Kramer FR (1999) Thermodynamic basis of the enhanced specificity of structured DNA probes. *Proc Natl Acad Sci USA* 96, 6171-6176.
2. El-Hajj HH, Marras SA, Tyagi S, Shashkina E, Kamboj M, Kiehn TE, Glickman MS, Kramer FR, and Alland D (2009) Use of sloppy molecular beacon probes for identification of mycobacterial species. *J Clin Microbiol* 47, 1190-1198.
3. Marras SAE, Kramer FR, and Tyagi S (1999) Multiplex detection of single-nucleotide variations using molecular beacons. *Genet Anal* 14, 151-156.
4. Marras SAE, Kramer FR, and Tyagi S (2002) Efficiencies of fluorescence resonance energy transfer and contact-mediated quenching in oligonucleotide probes. *Nucleic Acids Res* 30, e122.
5. Mullah B and Livak K (1999) Efficient automated synthesis of molecular beacons. *Nucleos Nucleot* 18, 1311-1312.
6. Ortiz E, Estrada G, and Lizardi PM (1998) PNA molecular beacons for rapid detection of PCR amplicons. *Mol Cell Probes* 12, 219-226.
7. Tyagi S and Kramer FR (1996) Molecular beacons: probes that fluoresce upon hybridization. *Nat Biotechnol* 14, 303-308.

8. Tyagi S, Bratu DP, and Kramer FR (1998) Multicolor molecular beacons for allele discrimination. *Nat Biotechnol* 16, 49-53.
9. Tyagi S, Marras SAE, and Kramer FR (2000) Wavelength-shifting molecular beacons. *Nat Biotechnol* 18, 1191-1196.

II. Review papers on molecular beacons

10. Abravaya K, Huff J, Marshall R, Merchant B, Mullen C, Schneider G, and Robinson J (2003) Molecular beacons as diagnostic tools: technology and applications. *Clin Chem Lab Med* 41, 468-474.
11. Antony T and Subramaniam V (2001) Molecular beacons: nucleic acid hybridization and emerging applications. *J Biomol Struct Dyn* 19, 497-504.
12. Barreiro LB, Henriques R, and Mhlanga MM (2009) High-throughput SNP genotyping: combining tag SNPs and molecular beacons. *Methods Mol Biol* 578, 255-276.
13. Bratu DP (2006) Molecular beacons: fluorescent probes for detection of endogenous mRNAs in living cells. *Methods Mol Biol* 319, 1-14.
14. Broude NE (2002) Stem-loop oligonucleotides: a robust tool for molecular biology and biotechnology. *Trends Biotechnol* 20, 249-256.
15. Drake T and Tan W (2004) Molecular beacon DNA probes and their bioanalytical applications. *Applied Spectroscopy* 58, 269-280.
16. Fang X, Li JJ, Perlette J, Tan W, and Wang K (2000) Molecular beacons: novel fluorescent probes. *Anal Chem* 72, 747a-753a.
17. Fang X, Mi Y, Li JJ, Beck T, Schuster S, and Tan W (2002) Molecular beacons: fluorogenic probes for living cell study. *Cell Biochem Biophys* 37, 71-81.
18. Goel G, Kumar A, Puniya AK, Chen W, and Singh K (2005) Molecular beacon: a multitask probe. *J Appl Microbiol* 99, 435-442.
19. Kim Y, Sohn D, and Tan W (2008) Molecular beacons in biomedical detection and clinical diagnosis. *Int J Clin Exp Pathol* 1, 105-116.
20. Li Y, Zhou X, and Ye D (2008) Molecular beacons: an optimal multifunctional biological probe. *Biochem Biophys Res Commun* 373, 457-468.
21. Manganelli R, Tyagi S, and Smith I (2001) Real-time PCR using molecular beacons. *Methods Mol Med* 54, 295-310.
22. Marras SAE (2006) Selection of fluorophore and quencher pairs for fluorescent nucleic acid hybridization probes. *Methods Mol Biol* 335, 3-16.
23. Marras SAE, Tyagi S, and Kramer FR (2006) Real-time assays with molecular beacons and other fluorescent nucleic acid hybridization probes. *Clin Chim Acta* 363, 48-60.
24. Santangelo P, Nitin N, and Bao G (2006) Nanostructured probes for RNA detection in living cells. *Ann Biomed Eng*, 1-12.
25. Santangelo PJ (2009) Molecular beacons and related probes for intracellular RNA imaging. *Nanomed Nanobiotechnol* 2, 11-19.
26. Silverman AP and Kool ET (2005) Quenched probes for highly specific detection of cellular RNAs. *Trends Biotechnol* 23, 225-230.

27. Tan W, Fang X, Li J, and Liu X (2000) Molecular beacons: a novel DNA probe for nucleic acid and protein studies. *Chemistry* 6, 1107-1111.
28. Tan W, Wang K, and Drake TJ (2004) Molecular beacons. *Curr Opin Chem Biol* 8, 547-553.
29. Tanke HJ, Dirks RW, and Raap T (2005) FISH and immunocytochemistry: towards visualising single target molecules in living cells. *Curr Opin Biotechnol* 16, 49-54.
30. Tsourkas A and Bao G (2003) Shedding light on health and disease using molecular beacons. *Brief Funct Genomic Proteomic* 1, 372-384.
31. Vet JA, Van der Rijt BJ, and Blom HJ (2002) Molecular beacons: colorful analysis of nucleic acids. *Expert Rev Mol Diagn* 2, 89-99.
32. Wang K, Tang Z, Yang CJ, Kim Y, Fang X, Li W, Wu Y, Medley CD, Cao Z, Li J, Colon P, Lin H, and Tan W (2008) Molecular engineering of DNA: molecular beacons. *Angew Chem Int Ed Engl* 47, 2-17.
33. Yang CJ, Medley CD, and Tan W (2005) Monitoring nucleic acids using molecular beacons. *Curr Pharm Biotechnol* 6, 445-452.

III. Papers on molecular beacons used for detection of DNA and RNA in living cells

34. Bratu DP, Cha BJ, Mhlanga MM, Kramer FR, and Tyagi S (2003) Visualizing the distribution and transport of mRNAs in living cells. *Proc Natl Acad Sci USA* 100, 13308-13313.
35. Chen AK, Behlke MA, and Tsourkas A (2007) Avoiding false-positive signals with nuclease-vulnerable molecular beacons in single living cells. *Nucleic Acids Res* 35, e105.
36. Chen AK, Behlke MA, and Tsourkas A (2008) Efficient cytosolic delivery of molecular beacon conjugates and flow cytometric analysis of target RNA. *Nucleic Acids Res* 36, e69.
37. Chen AK, Behlke MA, and Tsourkas A (2009) Sub-cellular trafficking and functionality of 2'-O-methyl and 2'-O-methyl-phosphorothioate molecular beacons. *Nucleic Acids Res*.
38. Cui ZQ, Zhang ZP, Zhang XE, Wen JK, Zhou YF, and Xie WH (2005) Visualizing the dynamic behavior of poliovirus plus-strand RNA in living host cells. *Nucleic Acids Res* 33, 3245-3252.
39. Kloc M, Wilk K, Vargas D, Shirato Y, Bilinski S, and Etkin LD (2005) Potential structural role of non-coding and coding RNAs in the organization of the cytoskeleton at the vegetal cortex of *Xenopus* oocytes. *Development* 132, 3445-3457.
40. Matsuo T (1998) *In situ* visualization of messenger RNA for basic fibroblast growth factor in living cells. *Biochim Biophys Acta* 1379, 178-184.
41. Mhlanga MM, Vargas DY, Fung CW, Kramer FR, and Tyagi S (2005) tRNA-linked molecular beacons for imaging mRNAs in the cytoplasm of living cells. *Nucleic Acids Res* 33, 1902-1912.
42. Nitin N, Santangelo PJ, Kim G, Nie S, and Bao G (2004) Peptide-linked molecular beacons for efficient delivery and rapid mRNA detection in living cells. *Nucleic Acids Res* 32, e58.

43. Nitin N, and Bao G (2008) NLS peptide conjugated molecular beacons for visualizing nuclear RNA in living cells. *Bioconjug Chem* 19, 2205-2211.
44. Nitin N, Rhee WJ, and Bao G (2009) Translation inhibition reveals interaction of 2'-deoxy and 2'-O-methyl molecular beacons with mRNA targets in living cells. *Nucleic Acids Res* 37, 4977-4986.
45. Peng XH, Cao ZH, Xia JT, Carlson GW, Lewis MM, Wood WC, and Yang L (2005) Real-time detection of gene expression in cancer cells using molecular beacon imaging: new strategies for cancer research. *Cancer Res*, 65, 1909-1917.
46. Perlette J and Tan W (2001) Real-time monitoring of intracellular mRNA hybridization inside single living cells. *Anal Chem* 73, 5544-5550.
47. Rhee WJ, Santangelo PJ, Jo H, and Bao G (2008) Target accessibility and signal specificity in live-cell detection of bmp-4 mRNA using molecular beacons. *Nucleic Acids Res* 36, e30.
48. Rhee WJ and Bao G (2009) Simultaneous detection of mRNA and protein stem cell markers in live cells. *BMC Biotechnol* 9, 30.
49. Riches LC, Lynch AM, and Gooderham NJ (2009) A molecular beacon approach to detecting RAD52 expression in response to DNA damage in human cells. *Toxicol In Vitro*.
50. Rodriguez AJ, Condeelis J, Singer RH, and Dichtenberg JB (2007) Imaging mRNA movement from transcription sites to translation sites. *Semin Cell Dev Biol* 18, 202-208.
51. Santangelo PJ, Nix B, Tsourkas A, and Bao G (2004) Dual FRET molecular beacons for mRNA detection in living cells. *Nucleic Acids Res* 32, e57.
52. Santangelo PJ, Nitin N, and Bao G (2005) Direct visualization of mRNA colocalization with mitochondria in living cells using molecular beacons. *J Biomed Opt* 10, 44025.
53. Santangelo P, Nitin N, Laconte L, Woolums A, and Bao G (2006) Live-cell characterization and analysis of a clinical isolate of bovine respiratory syncytial virus, using molecular beacons. *J Virol* 80, 682-688.
54. Simon B, Sandhu M, and Myhr KL (2009) Live FISH: Imaging mRNA in living neurons. *J Neurosci Res*.
55. Sokol DL, Zhang X, Lu P, and Gewirtz AM (1998) Real time detection of DNA:RNA hybridization in living cells. *Proc Natl Acad Sci USA* 95, 11538-11543.
56. Tyagi S and Alsmadi O (2004) Imaging native β -actin mRNA in motile fibroblasts. *Biophys J* 78, 4153-4163.
57. van den Bogaard PT, and Tyagi S (2009) Using molecular beacons to study dispersal of mRNPs from the gene locus. *Methods Mol Biol* 464, 91-103.
58. Vargas DY, Raj A, Marras SA, Kramer FR, and Tyagi S (2005) Mechanism of mRNA transport in the nucleus. *Proc Natl Acad Sci USA* 102, 17008-17013.
59. Wang A, Salazar AM, Yates MV, Mulchandani A, and Chen W (2005) Visualization and detection of infectious coxsackievirus replication using a combined cell culture-molecular beacon assay. *Appl Environ Microbiol* 71, 8397-8401.
60. Wang W, Cui ZQ, Han H, Zhang ZP, Wei HP, Zhou YF, Chen Z, and Zhang XE (2008) Imaging and characterizing influenza A virus mRNA transport in living cells. *Nucleic Acids Res* 36, 4913-4928.

61. Wu Y, Yang CJ, Moroz LL, and Tan W (2008) Nucleic acid beacons for long-term real-time intracellular monitoring. *Anal Chem* 80, 3025-3028.
62. Yeh HY, Yates MV, Mulchandani A, and Chen W (2008) Visualizing the dynamics of viral replication in living cells via Tat peptide delivery of nuclease-resistant molecular beacons. *Proc Natl Acad Sci USA* 105, 17522-17525.

IV. Papers on molecular beacons used in real-time PCR for SNP and mutation detection assays

63. Alsmadi O, Muiya P, Khalak H, Al-Saud H, Meyer BF, Al-Mohanna F, Alshahid M, and Dzimiri N (2009) Haplotypes encompassing the KIAA0391 and PSMA6 gene cluster confer a genetic link for myocardial infarction and coronary artery disease. *Ann Hum Genet* 00, 1-9.
64. Ameziane N, Seguin C, Borgel D, Fumeron F, Moatti D, Alhenc-Gelas M, Grandchamp B, Aiach M, Emmerich J, and de Prost D (2002) The-33T -> C polymorphism in intron 7 of the TFPI gene influences the risk of venous thromboembolism, independently of the factor V Leiden and prothrombin mutations. *Thromb Haemost* 88, 195-199.
65. Barreiro LB, Henriques R, and Mhlanga MM (2009) High-throughput SNP genotyping: combining tag SNPs and molecular beacons. *Methods Mol Biol* 578, 255-276.
66. Chang HW, Ali SZ, Cho SK, Kurman RJ, and Shih Ie M (2002) Detection of allelic imbalance in ascitic supernatant by digital single nucleotide polymorphism analysis. *Clin Cancer Res* 8, 2580-2585.
67. Dubertret B, Calame M, and Libchaber AJ (2001) Single-mismatch detection using gold-quenched fluorescent oligonucleotides. *Nat Biotechnol* 19, 365-370.
68. Durand R, Huart V, Jafari S, and Le Bras J (2002) Rapid detection of a molecular marker for chloroquine-resistant falciparum malaria. *Antimicrob Agents Chemother* 46, 2684-2686.
69. El-Hajj HH, Marras SAE, Tyagi S, Kramer FR, and Alland D (2001) Detection of rifampin resistance in *Mycobacterium tuberculosis* in a single tube with molecular beacons. *J Clin Microbiol* 39, 4131-4137.
70. Frei K, Szuhai K, Lucas T, Weipoltshammer K, Schofer C, Ramsebner R, Baumgartner WD, Raap AK, Bittner R, Wachtler FJ, and Kirschhofer K (2002) Connexin 26 mutations in cases of sensorineural deafness in eastern Austria. *Eur J Hum Genet* 10, 427-432.
71. Giesendorf BA, Vet JA, Tyagi S, Mensink EJ, Trijbels FJ, and Blom HJ (1998) Molecular beacons: a new approach for semiautomated mutation analysis. *Clin Chem* 44, 482-486.
72. Hodgson DR, Foy CA, Partridge M, Pateromichelakis S, and Gibson NJ (2002) Development of a facile fluorescent assay for the detection of 80 mutations within the p53 gene. *Mol Med* 8, 227-237.
73. Jablonska E, Gromadzinska J, Reszka E, Wasowicz W, Sobala W, Szeszenia-Dabrowska N, and Boffetta P (2009) Association between GPx1 Pro198Leu polymorphism, GPx1 activity and plasma selenium concentration in humans. *Eur J Nutr* 48, 383-386.

74. Kostrikis LG, Tyagi S, Mhlanga MM, Ho DD, and Kramer FR (1998) Spectral genotyping of human alleles. *Science* 279, 1228-1229.
75. Li X, Huang Y, Guan Y, Zhao M, and Li Y (2006) Universal molecular beacon-based tracer system for real-time polymerase chain reaction. *Anal Chem* 78, 7886-7890.
76. Marras SAE, Kramer FR, and Tyagi S (2003) Genotyping SNPs with molecular beacons. *Methods Mol Biol* 212, 111-128.
77. Mhlanga MM and Malmberg L (2001) Using molecular beacons to detect single-nucleotide polymorphisms with real-time PCR. *Methods* 25, 463-471.
78. Orru G, Faa G, Pillai S, Pilloni L, Montaldo C, Pusceddu G, Piras V, and Coni P (2005) Rapid PCR real-time genotyping of M-Malton alpha1-antitrypsin deficiency alleles by molecular beacons. *Diagn Mol Pathol* 14, 237-242.
79. O'Shea MK, Ryan MA, Hawksworth AW, Alsip BJ, and Gray GC (2005) Symptomatic respiratory syncytial virus infection in previously healthy young adults living in a crowded military environment. *Clin Infect Dis* 41, 311-317.
80. Piatek AS, Telenti A, Murray MR, El-Hajj H, Jacobs WR, Jr., Kramer FR, and Alland D (2000) Genotypic analysis of *Mycobacterium tuberculosis* in two distinct populations using molecular beacons: implications for rapid susceptibility testing. *Antimicrob Agents Chemother* 44, 103-110.
81. Piatek AS, Tyagi S, Pol AC, Telenti A, Miller LP, Kramer FR, and Alland D (1998) Molecular beacon sequence analysis for detecting drug resistance in *Mycobacterium tuberculosis*. *Nat Biotechnol* 16, 359-363.
82. Rhee JT, Piatek AS, Small PM, Harris LM, Chaparro SV, Kramer FR, and Alland D (1999) Molecular epidemiologic evaluation of transmissibility and virulence of *Mycobacterium tuberculosis*. *J Clin Microbiol* 37, 1764-1770.
83. Singer G, Kurman RJ, Chang HW, Cho SK, and Shih Ie M (2002) Diverse tumorigenic pathways in ovarian serous carcinoma. *Am J Pathol* 160, 1223-1228.
84. Szuhai K, Ouweland J, Dirks R, Lemaitre M, Truffert J, Janssen G, Tanke H, Holme E, Maassen J, and Raap A (2001) Simultaneous A8344G heteroplasmy and mitochondrial DNA copy number quantification in Myoclonus Epilepsy and Ragged-Red Fibers (MERRF) syndrome by a multiplex molecular beacon based real-time fluorescence PCR. *Nucleic Acids Res* 29, e13.
85. Szuhai K, Sandhaus E, Kolkman-Uljee SM, Lemaitre M, Truffert JC, Dirks RW, Tanke HJ, Fleuren GJ, Schuurin E, and Raap AK (2001) A novel strategy for human papillomavirus detection and genotyping with SybrGreen and molecular beacon polymerase chain reaction. *Am J Pathol* 159, 1651-1660.
86. Tapp I, Malmberg L, Rennel E, Wik M, and Syvanen AC (2000) Homogeneous scoring of single-nucleotide polymorphisms: comparison of the 5'-nuclease TaqMan assay and molecular beacon probes. *Biotechniques* 28, 732-738.
87. Vogelstein B and Kinzler KW (1999) Digital PCR. *Proc Natl Acad Sci USA* 96, 9236-9241.

V. Papers on molecular beacons used in real-time PCR for DNA, RNA and pathogenic detection assays

88. Abd el-Galil KH, el-Sokkary MA, Kheira SM, Salazar AM, Yates MV, Chen W, and Mulchandani A (2004) Combined immunomagnetic separation molecular beacon reverse transcription PCR assay for detection of hepatitis A virus from environmental samples. *Appl Environ Microbiol* 70, 4371-4374.
89. Alsmadi OA, Al-Kayal F, Al-Hamed M, and Meyer BF (2006) Frequency of common HFE variants in the Saudi population: a high throughput molecular beacon-based study. *BMC Med Genet* 7, 43-49.
90. Alsmadi OA, Al-Rubeaan K, Wakil SM, Imtiaz F, Mohamed G, Al-Saud H, Al-Saud NA, Aldaghri N, Mohammad S, and Meyer BF (2008) Genetic study of saudi diabetes (GSSD): significant association of the KCNJ11 E23K polymorphism with type 2 diabetes. *Diabetes Metab Res Rev* 24, 137-140.
91. Arnold SF, Tims E, and McGrath BE (1999) Identification of bone morphogenetic proteins and their receptors in human breast cancer cell lines: importance of BMP2. *Cytokine* 11, 1031-1037.
92. Balashov SV, Gardiner R, Park S, and Perlin DS (2005) Rapid, high-throughput, multiplex, real-time PCR for identification of mutations in the *cyp51A* gene of *Aspergillus fumigatus* that confer resistance to itraconazole. *J Clin Microbiol* 43, 214-222.
93. Balashov SV, Park S, and Perlin DS (2006) Assessing resistance to the echinocandin antifungal drug caspofungin in *candida albicans* by profiling mutations in FKS1. *Antimicrob Agents Chemother* 50, 2058-2063.
94. Belanger SD, Boissinot M, Menard C, Picard FJ, and Bergeron MG (2002) Rapid detection of shiga toxin-producing bacteria in feces by multiplex PCR with molecular beacons on the smart cycler. *J Clin Microbiol* 40, 1436-1440.
95. Belanger SD, Boissinot M, Clairoux N, Picard FJ, and Bergeron MG (2003) Rapid detection of clostridium difficile in feces by real-time PCR. *J Clin Microbiol* 41, 730-734.
96. Beloukas A, Paraskevis D, Haida C, Sypsa V, and Hatzakis A (2009) Development and assessment of a multiplex real-time PCR assay for the quantification of HIV-1 DNA. *J Clin Microbiol* 47, 2194-2199.
97. Bergeron MG and Ke D (2001) New DNA-based PCR approaches for rapid real-time detection and prevention of group B streptococcal infections in newborns and pregnant women. *Expert Rev Mol Med* 380, 5a.
98. Besson G and Kazanji M (2009) One-step, multiplex, real-time PCR assay with molecular beacon probes for simultaneous detection, differentiation and quantification of human T-cell leukaemia viruses types 1, 2 and 3. *J Clin Microbiol*.
99. Bhagwat AA, Patel J, Chua T, Chan A, Cruz SR, and Aguilar GA (2008) Detection of *Salmonella* species in foodstuffs. *Methods Mol Biol* 429, 33-43.
100. Blackard JT, Komurian-Pradel F, Perret M, Sodoyer M, Smeaton L, Clair JB, Chapman S, Taylor LE, Paranhos-Baccala G, and Chung RT (2006) Intrahepatic cytokine expression is downregulated during HCV/HIV co-infection. *J Med Virol* 78, 202-207.

101. Bonants PJM, van Gent-Pelzer MPE, Hooftman R, Cooke DEL, Guy DC, and Duncan JM (2004) A combination of baiting and different PCR formats, including measurement of real-time quantitative fluorescence, for the detection of *Phytophthora fragariae* in strawberry plants. *Eur J Plant Pathol* 110, 689-702.
102. Buitrago MJ, Merino P, Puente S, Gomez-Lopez A, Arribi A, Zancope-Oliveira RM, Gutierrez MC, Rodriguez-Tudela JL, and Cuenca-Estrella M (2009) Utility of Real-time PCR for the detection of *Paracoccidioides brasiliensis* DNA in the diagnosis of imported paracoccidioidomycosis. *Med Mycol* 1-4.
103. Castelli MV, Buitrago MJ, Bernal-Martinez L, Gomez-Lopez A, Rodriguez-Tudela JL, and Cuenca-Estrella M (2008) Development and validation of a quantitative PCR assay for the diagnosis of *Scedosporiosis*. *J Clin Microbiol* 46, 3412-3416.
104. Chakravorty S, Aladegbami B, Motiwala AS, Dai Y, Safi H, Brimacombe M, Helb D, and Alland D (2008) Rifampin-resistance, Beijing-W clade/SNP cluster group two phylogeny and the Rv2629 191-C allele in *Mycobacterium tuberculosis* strains. *J Clin Microbiol* 46, 2555-2560.
105. Chakravorty S, Aladegbami B, Burday M, Levi M, Marras SA, Shah D, El-Hajj HH, Kramer FR, and Alland D (2010) Rapid universal diagnosis of bacterial pathogens from clinical cultures using a novel sloppy molecular beacon melting temperature signature technique. *J Clin Microbiol*.
106. Chang HW, Yen CY, Liu SY, Singer G, and Shih Ie M (2002) Genotype analysis using human hair shaft. *Cancer Epidemiol Biomarkers Prev* 11, 925-929.
107. Chen L, Mediavilla JR, Oliveira DC, Willey BM, de Lencastre H, and Kreiswirth BN (2009) Multiplex real-time PCR for rapid *Staphylococcal* cassette chromosome mec (SCCmec) typing. *J Clin Microbiol*.
108. Chen W, Martinez G, and Mulchandani A (2000) Molecular beacons: a real-time polymerase chain reaction assay for detecting *Salmonella*. *Anal Biochem* 280, 166-172.
109. Chiba N, Murayama SY, Morozumi M, Nakayama E, Okada T, Iwata S, Sunakawa K, and Ubukata K (2009) Rapid detection of eight causative pathogens for the diagnosis of bacterial meningitis by real-time PCR. *J Infect Chemother* 15, 92-98.
110. Chowdhury TT, Arghandawi S, Brand J, Akanji OO, Bader DL, Salter DM, and Lee DA (2008) Dynamic compression counteracts il-1beta induced inos and cox-2 expression in chondrocyte / agarose constructs. *Arthritis Res Ther* 10, R35.
111. Claas EC, Schilham MW, de Brouwer CS, Hubacek P, Echavarría M, Lankester AC, van Tol MJ, and Kroes AC (2005) Internally controlled real-time PCR monitoring of adenovirus DNA load in serum or plasma of transplant recipients. *J Clin Microbiol* 43, 1738-1744.
112. Clayton SJ, Scott FM, Walker J, Callaghan K, Hague K, Liloglou T, Xinarianos G, Shawcross S, Ceuppens P, Field JK, and Fox JC (2000) K-ras point mutation detection in lung cancer: comparison of two approaches to somatic mutation detection using ARMS allele-specific amplification. *Clin Chem* 46, 1929-1938.
113. Dawes SS, Warner DF, Tsenova L, Timm J, McKinney JD, Kaplan G, Rubin H, and Mizrahi V (2003) Ribonucleotide reduction in *Mycobacterium tuberculosis*: function and expression of genes encoding class Ib and class II ribonucleotide reductases. *Infect Immun* 71, 6124-6131.

114. Devor EJ (2001) Use of molecular beacons to verify that the serine hydroxymethyltransferase pseudogene SHMT-ps1 is unique to the order primates. *Genome Biol* 2, 6.1-6.5.
115. Dracheva S, Marras SAE, Elhakem AL, Kramer FR, Davis KL, and Haroutunian V (2001) N-Methyl-D-Aspartic Acid Receptor expression in Dorsolateral Prefrontal Cortex of elderly patients with schizophrenia. *Am J Psychiatry* 158, 1400-1410.
116. Dracheva S, McGurk SR, and Haroutunian V (2005) mRNA expression of AMPA receptors and AMPA receptor binding proteins in the cerebral cortex of elderly schizophrenics. *J Neurosci Res* 79, 868-878.
117. Durand R, Eslahpazire J, Jafari S, Delabre JF, Marmorat-Khuong A, di Piazza JP, and Le Bras J (2000) Use of molecular beacons to detect an antifolate resistance-associated mutation in *Plasmodium falciparum*. *Antimicrob Agents Chemother* 44, 3461-3464.
118. Elsayed S, Chow BL, Hamilton NL, Gregson DB, Pitout JD, and Church DL (2003) Development and validation of a molecular beacon probe-based real-time polymerase chain reaction assay for rapid detection of methicillin resistance in *Staphylococcus aureus*. *Arch Pathol Lab Med* 127, 845-849.
119. Elsayed S, Plewes K, Church D, Chow B, and Zhang K (2006) Use of molecular beacon probes for real-time PCR detection of *Plasmodium falciparum* and other plasmodium species in peripheral blood specimens. *J Clin Microbiol* 44, 622-624.
120. Eun AJC and Wong SM (2000) Molecular Beacons: a new approach to plant virus detection. *Phytopathology* 90, 269-275.
121. Fang Y, Wu WH, Pepper JL, Larsen JL, Marras SAE, Nelson EA, Epperson WB, and Christopher-Hennings J (2002) Comparison of real-time, quantitative PCR with molecular beacons to nested PCR and culture methods for detection of *Mycobacterium avium* subsp. *paratuberculosis* in bovine fecal samples. *J Clin Microbiol* 40, 287-291.
122. Feldman SH and Bowman SG (2007) Molecular phylogeny of the pinworms of mice, rats and rabbits, and its use to develop molecular beacon assays for the detection of pinworms in mice. *Lab Anim* 36, 43-50.
123. Fortin NY, Mulchandani A, and Chen W (2001) Use of real-time polymerase chain reaction and molecular beacons for the detection of *Escherichia coli* O157:H7. *Anal Biochem* 289, 281-288.
124. Garcia-Effron G, Dilger A, Alcazar-Fuoli L, Park S, Mellado E, and Perlin DS (2008) Rapid detection of triazole antifungal resistance in *aspergillus fumigatus*. *J Clin Microbiol*
125. Gatcombe RR, Jothikumar N, Dangoudoubiyam S, Kazacos KR, and Hill VR (2009) Evaluation of a molecular beacon real-time PCR assay for detection of *Baylisascaris procyonis* in different soil types and water samples. *Parasitol Res*.
126. Gonzalez E, Bamshad M, Sato N, Mummidi S, Dhanda R, Catano G, Cabrera S, McBride M, Cao XH, Merrill G, O'Connell P, Bowden DW, Freedman BI, Anderson SA, Walter EA, Evans JS, Stephan KT, Clark RA, Tyagi S, Ahuja SS, Dolan MJ, and Ahuja SK (1999) Race-specific HIV-1 disease-modifying effects associated with CCR5 haplotypes. *Proc Natl Acad Sci USA* 96, 12004-12009.
127. Gubala AJ and Proll DF (2006) Molecular-beacon multiplex real-time PCR assay for detection of *Vibrio cholerae*. *Appl Environ Microbiol* 72, 6424-6428.

128. Gullsby K, Storm M, and Bondeson K (2007) Simultaneous detection of *Chlamydophila pneumoniae* and *Mycoplasma pneumoniae* using molecular beacons in a duplex real-time PCR. J Clin Microbiol.
129. Hadjinicolaou AV, Demetriou VL, Hezka J, Beyer W, Hadfield TL, and Kostrikis LG (2009) Use of molecular beacons and multi-allelic real-time PCR for detection of and discrimination between virulent *Bacillus anthracis* and other bacillus isolates. J Microbiol Methods 9, 97.
130. Hadjinicolaou AV, Demetriou VL, Emmanuel MA, Kakoyiannis CK, and Kostrikis LG (2009) Molecular beacon-based real-time PCR detection of primary isolates of *Salmonella typhimurium* and *Salmonella enteritidis* in environmental and clinical samples. BMC Microbiol 9, 97.
131. Haldar S, Chakravorty S, Bhalla M, De Majumdar S, and Tyagi JS (2007) Simplified detection of *Mycobacterium tuberculosis* in sputum using smear microscopy and PCR with molecular beacons. J Med Microbiol 56, 1356-1362.
132. Harms G, Layton AC, Dionisi HM, Gregory IR, Garrett VM, Hawkins SA, Robinson KG, and Sayler GS (2003) Real-time PCR quantification of nitrifying bacteria in a municipal wastewater treatment plant. Environ Sci Technol 37, 343-351.
133. Heil SG, Lievers KJ, Boers GH, Verhoef P, den Heijer M, Trijbels FJ, and Blom HJ (2000) Betaine-homocysteine methyltransferase (BHMT): genomic sequencing and relevance to hyperhomocysteinemia and vascular disease in humans. Mol Genet Metab 71, 511-519.
134. Helps C, Reeves N, Tasker S, and Harbour D (2001) Use of real-time quantitative PCR to detect *Chlamydophila felis* infection. J Clin Microbiol 39, 2675-2676.
135. Henry KM, Jiang J, Rozmajzl PJ, Azad AF, Macaluso KR, and Richards AL (2007) Development of quantitative real-time PCR assays to detect *Rickettsia typhi* and *Rickettsia felis*, the causative agents of murine typhus and flea-borne spotted fever. Mol Cell Probes 21, 17-23.
136. Huletsky A, Giroux R, Rossbach V, Gagnon M, Vaillancourt M, Bernier M, Gagnon F, Truchon K, Bastien M, Picard FJ, van Belkum A, Ouellette M, Roy PH, and Bergeron MG (2004) New real-time PCR assay for rapid detection of methicillin-resistant *Staphylococcus aureus* directly from specimens containing a mixture of staphylococci. J Clin Microbiol 42, 1875-1884.
137. Jebbink J, Bai X, Rogers BB, Dawson DB, Scheuermann RH, and Domiati-Saad R (2003) Development of real-time PCR assays for the quantitative detection of Epstein-Barr virus and cytomegalovirus, comparison of TaqMan probes, and molecular beacons. J Mol Diagn 5, 15-20.
138. Jin X, Bauer DE, Tuttleton SE, Lewin S, Gettie A, Blanchard J, Irwin CE, Safrit JT, Mittler J, Weinberger L, Kostrikis LG, Zhang L, Perelson AS, and Ho DD (1999) Dramatic rise in plasma viremia after CD8(+) T cell depletion in simian immunodeficiency virus-infected macaques. J Exp Med 189, 991-998.
139. Jyoti A, Ram S, Vajpayee P, Singh G, Dwivedi PD, Jain SK, and Shanker R (2009) Contamination of surface and potable water in South Asia by *Salmonellae*: Culture-independent quantification with molecular beacon real-time PCR. Sci Total Environ.

140. Kirs M and Smith DC (2007) Multiplex quantitative real-time RT-PCR for the F+ specific RNA coliphages: A method for use in microbial source tracking. *Appl Environ Microbiol* 73, 808-814.
141. Komurian-Pradel F, Perret M, Deiman B, Sodoyer M, Lotteau V, Paranhos-Baccala G, and Andre P (2004) Strand specific quantitative real-time PCR to study replication of hepatitis C virus genome. *J Virol Methods* 116, 103-106.
142. Kostrikis LG, Touloumi G, Karanickolas R, Pantazis N, Anastassopoulou C, Karafoulidou A, Goedert JJ, and Hatzakis A (2002) Quantitation of Human Immunodeficiency Virus type 1 DNA forms with the second template switch in peripheral blood cells predicts disease progression independently of plasma RNA load. *J Virol* 76, 10099-10108.
143. Kota R, Holton TA, and Henry RJ (1999) Detection of transgenes in crop plants using molecular beacon assays. *Plant Mol Biology Rep* 17, 363-370.
144. Kumar P, Nath K, Rath B, Sen MK, Vishalakshi P, Chauhan DS, Katoch VM, Singh S, Tyagi S, Sreenivas V, and Prasad HK (2009) Visual format for detection of *Mycobacterium tuberculosis* and *M. bovis* in clinical samples using molecular beacons. *J Mol Diagn* 11, 430-438.
145. Lai JP, Douglas SD, Shaheen F, Pleasure DE, and Ho WZ (2002) Quantification of substance p mRNA in human immune cells by real-time reverse transcriptase PCR assay. *Clin Diagn Lab Immunol* 9, 138-143.
146. Lai JP, Yang JH, Douglas SD, Wang X, Riedel E, and Ho WZ (2003) Quantification of CCR5 mRNA in human lymphocytes and macrophages by real-time reverse transcriptase PCR assay. *Clin Diagn Lab Immunol* 10, 1123-1128.
147. Larsen MH, Vilcheze C, Kremer L, Besra GS, Parsons L, Salfinger M, Heifets L, Hazbon MH, Alland D, Sacchetti JC, and Jacobs WR, Jr. (2002) Overexpression of inhA, but not kasA, confers resistance to isoniazid and ethionamide in *Mycobacterium smegmatis*, *M. bovis BCG* and *M. tuberculosis*. *Mol Microbiol* 46, 453-466.
148. Lasham A, Herbert M, Coppieters 't Wallant N, Patel R, Feng S, Eszes M, Cao H, and Reid G (2009) A rapid and sensitive method to detect siRNA-mediated mRNA cleavage in vivo using 5' RACE and a molecular beacon probe. *Nucleic Acids Res.*
149. Lata P, Ram S, Agrawal M, and Shanker R (2009) Real time PCR for the rapid detection of vanA gene in surface waters and aquatic macrophyte by molecular beacon probe. *Environ Sci Technol* 43, 3343-3348.
150. Lee DH, Li L, Andrus L, and Prince AM (2002) Stabilized viral nucleic acids in plasma as an alternative shipping method for NAT. *Transfusion* 42, 409-413.
151. Lee DH, Mathew J, Pfahler W, Ma D, Valinsky J, Prince AM, and Andrus L (2005) Individual donor nucleic acid amplification testing for detection of West Nile virus. *J Clin Microbiol* 43, 5111-5116.
152. Lerat S, England LS, Vincent ML, Pauls KP, Swanton CJ, Klironomos JN, and Trevors JT (2005) Real-time polymerase chain reaction quantification of the transgenes for roundup ready corn and roundup ready soybean in soil samples. *J Agric Food Chem* 53, 1337-1342.

153. Levy-Booth DJ, Campbell RG, Gulden RH, Hart MM, Powell JR, Klironomos JN, Pauls KP, Swanton CJ, Trevors JT, and Dunfield KE (2008) Real-time polymerase chain reaction monitoring of recombinant DNA entry into soil from decomposing roundup ready leaf biomass. *J Agric Food Chem*.
154. Lewin SR, Vesanen M, Kostrikis L, Hurley A, Duran M, Zhang L, Ho DD, and Markowitz M (1999) Use of real-time PCR and molecular beacons to detect virus replication in Human Immunodeficiency Virus type 1-infected individuals on prolonged effective antiretroviral therapy. *J Virol* 73, 6099-6103.
155. Lewin SR, Ribeiro RM, Walters T, Lau GK, Bowden S, Locarnini S, and Perelson AS (2001) Analysis of hepatitis B viral load decline under potent therapy: Complex decay profiles observed. *Hepatology* 34, 1012-1020.
156. L'Homme Y, Leboeuf A, and Cameron J (2008) PrP genotype frequencies of Quebec sheep breeds determined by real-time PCR and molecular beacons. *Can J Vet Res* 72, 320-324.
157. Li Q, Liang J, Luan G, Zhang Y, and Wang K (2000) Molecular beacon-based homogeneous fluorescence PCR assay for the diagnosis of infectious diseases. *Anal Sci* 16, 245-248.
158. Liming SH and Bhagwat AA (2004) Application of a molecular beacon real-time PCR technology to detect *Salmonella* species contaminating fruits and vegetables. *Int J Food Microbiol* 95, 177-187.
159. Lin SY, Probert W, Lo M, and Desmond E (2004) Rapid detection of isoniazid and rifampin resistance mutations in *Mycobacterium tuberculosis* complex from cultures or smear-positive sputa by use of molecular beacons. *J Clin Microbiol* 42, 4204-4208.
160. McKillen J, Hjertner B, Millar A, McNeilly F, Belak S, Adair B, and Allan G (2007) Molecular beacon real-time PCR detection of swine viruses. *J Virol Methods* 140, 155-165.
161. McKillip JL and Drake M (2000) Molecular beacon polymerase chain reaction detection of *Escherichia coli* O157:H7 in milk. *J Food Prot* 63, 855-859.
162. Macia-Vicente JG, Jansson HB, Talbot NJ, and Lopez-Llorca LV (2009) Real-time PCR quantification and live-cell imaging of endophytic colonization of barley (*Hordeum vulgare*) roots by *Fusarium equiseti* and *Pochonia chlamydosporia*. *New Phytol*, 1-16.
163. Manganelli R, Dubnau E, Tyagi S, Kramer FR, and Smith I (1999) Differential expression of 10 sigma factor genes in *Mycobacterium tuberculosis*. *Mol Microbiol* 31, 715-724.
164. Martinez-Lopez J, Lahuerta JJ, Salama P, Ayala R, and Bautista JM (2004) The use of fluorescent molecular beacons in real-time PCR of IgH gene rearrangements for quantitative evaluation of multiple myeloma. *Clin Lab Haematol* 26, 31-35.
165. Martinson JJ, Hong L, Karanicolas R, Moore JP, and Kostrikis LG (2000) Global distribution of the CCR2-64I/CCR5-59653T HIV-1 disease-protective haplotype. *Aids* 14, 483-489.
166. Mathema B, Bifani P, Driscoll J, Steinlein L, Kurepina N, Moghazeh SL, Shashkina E, Marras SAE, Campbell S, Mangura B, Shilkret K, Crawford JT, Frothingham R, and Kreiswirth BN (2002) Identification and evolution of an IS6110 low-copy number *Mycobacterium tuberculosis* cluster. *J Infect Dis* 185, 641-649.

167. Metzner KJ, Jin X, Lee FV, Gettie A, Bauer DE, Di Mascio M, Perelson AS, Marx PA, Ho DD, Kostrikis LG, and Connor RI (2000) Effects of *in vivo* CD8(+) T cell depletion on virus replication in rhesus macaques immunized with a live, attenuated simian immunodeficiency virus vaccine. *J Exp Med* 191, 1921-1931.
168. Morandi L, Ferrari D, Lombardo C, Pession A, and Tallini G (2007) Monitoring HCV RNA viral load by locked nucleic acid molecular beacons real time PCR. *J Virol Methods* 140, 148-154.
169. Morandi L, Franceschi E, De Biase D, Marucci G, Tosoni A, Ermani M, Pession A, Tallini G, and Brandes AA (2010) Promoter methylation analysis of O6-methylguanine-DNA methyltransferase in glioblastoma: detection by locked nucleic acid based quantitative PCR using an imprinted gene (SNURF) as a reference. *BMC Cancer* 10, 48.
170. Morozumi M, Nakayama E, Iwata S, Aoki Y, Hasegawa K, Kobayashi R, Chiba N, Tajima T, and Ubukata K (2006) Simultaneous detection of pathogens in clinical samples from patients with community-acquired pneumonia by real-time PCR with pathogen-specific molecular beacon probes. *J Clin Microbiol* 44, 1440-1446.
171. Nascimento AM, Goldman GH, Park S, Marras SAE, Delmas G, Oza U, Lolans K, Dudley MN, Mann PA, and Perlin DS (2003) Multiple resistance mechanisms among *Aspergillus fumigatus* mutants with high-level resistance to itraconazole. *Antimicrob Agents Chemother* 47, 1719-1726.
172. Ntziora F, Paraskevis D, Haida C, Magiorkinis E, Manesis E, Papatheodoridis G, Manolakopoulos S, Beloukas A, Chrysosoy S, Magiorkinis G, Sypsa V, and Hatzakis A (2009) Quantitative detection of the M204V HBV minor variants by amplification refractory mutation system real-time polymerase chain reaction (ARMS rt-PCR) combined with molecular beacon. *J Clin Microbiol* 47, 2544-2550.
173. Orru G, Ferrando ML, Meloni M, Liciardi M, Savini G, and De Santis P (2006) Rapid detection and quantitation of bluetongue virus (BTV) using a molecular beacon fluorescent probe assay. *J Virol Methods* 137, 34-42.
174. O'Shea MK and Cane PA (2004) Development of a highly sensitive semi-quantitative real-time PCR and molecular beacon probe assay for the detection of respiratory syncytial virus. *J Virol Methods* 118, 101-110.
175. O'Shea MK, Pipkin C, Cane PA, and Gray GC (2007) Respiratory syncytial virus: an important cause of acute respiratory illness among young adults undergoing military training. *Influenza Other Respir Viruses* 1, 193-197.
176. Paillard D, McKain N, Rincon MT, Shingfield KJ, Givens DI, and Wallace RJ (2007) Quantification of ruminal *Clostridium proteoclasticum* by real-time PCR using a molecular beacon approach. *J Appl Microbiol* 103, 1251-1261.
177. Papaparaskevas J, Houhoula DP, Siatelis A, and Tsakris A (2008) Molecular beacon based real-time PCR for detection and quantification of *Mycobacterium tuberculosis* DNA in clinical samples. *J Clin Microbiol* 46, 3177-3178.
178. Park S, Wong M, Marras SAE, Cross EW, Kiehn TE, Chaturvedi V, Tyagi S, and Perlin DS (2000) Rapid identification of *Candida dubliniensis* using a species-specific molecular beacon. *J Clin Microbiol* 38, 2829-2836.
179. Park S and Perlin DS (2005) Establishing surrogate markers for fluconazole resistance in *Candida albicans*. *Microb Drug Resist* 11, 232-238.

180. Pas SD, Noppornpanth S, Eijk AA, Man RA, and Niesters HGM (2005) Quantification of the newly detected lamivudine resistant YSDD variants of Hepatitis B virus using molecular beacons. *J Clin Virol* 32, 166-172.
181. Patel JR, Bhagwat AA, Sanglay GC, and Solomon MB (2006) Rapid detection of *Salmonella* from hydrodynamic pressure-treated poultry using molecular beacon real-time PCR. *Food Microbiol* 23, 39-46.
182. Patel JR and Bhagwat AA (2008) Rapid real-time PCR assay for detecting *Salmonella* in raw and ready-to-eat meats. *Acta Vet Hung* 56, 451-458.
183. Perlin DS, Balashov S, and Park S (2008) Multiplex detection of mutations. *Methods Mol Biol* 429, 23-31.
184. Peyerl FW, Barouch DH, Bazick HS, Manuel E, and Letvin NL (2005) Use of molecular beacons for rapid, real-time, quantitative monitoring of cytotoxic T-lymphocyte epitope mutations in simian immunodeficiency virus. *J Clin Microbiol* 43, 4773-4779.
185. Pierce KE, Rice JE, Sanchez JA, Brenner C, and Wangh LJ (2000) Real-time PCR using molecular beacons for accurate detection of the Y chromosome in single human blastomeres. *Mol Hum Reprod* 6, 1155-1164.
186. Pierce KE, Rice JE, Sanchez JA, and Wangh LJ (2002) QuantiLyse: reliable DNA amplification from single cells. *Biotechniques* 32, 1106-1111.
187. Pierce KE, Rice JE, Sanchez JA, and Wangh LJ (2003) Detection of cystic fibrosis alleles from single cells using molecular beacons and a novel method of asymmetric real-time PCR. *Mol Hum Reprod* 9, 815-820.
188. Pierce KE and Wangh LJ (2007) Linear-after-the-exponential polymerase chain reaction and allied technologies: real-time detection strategies for rapid, reliable diagnosis from single cells. *Methods Mol Med* 132, 65-86.
189. Poddar SK (1999) Detection of adenovirus using PCR and molecular beacon. *J Virol Methods* 82, 19-26.
190. Poddar SK (2000) Symmetric vs asymmetric PCR and molecular beacon probe in the detection of a target gene of adenovirus. *Mol Cell Probes* 14, 25-32.
191. Poddar SK and Le CT (2001) *Bordetella pertussis* detection by spectrofluorometry using polymerase chain reaction (PCR) and a molecular beacon probe. *Mol Cell Probes* 15, 161-167.
192. Poddar SK (2003) Detection and discrimination of B-pertussis and B-holmesii by real-time PCR targeting IS481 using a beacon probe and probe-target melting analysis. *Mol Cell Probes* 17, 91-98.
193. Poe BG, Navratil M, and Arriaga EA (2007) Absolute quantitation of a heteroplasmic mitochondrial DNA deletion using a multiplex three-primer real-time PCR assay. *Anal Biochem* 362, 193-200.
194. Ram S, Vajpayee P, and Shanker R (2008) Rapid culture-independent quantitative detection of enterotoxigenic *Escherichia coli* in surface waters by real-time PCR with molecular beacon. *Environ Sci Technol* 42, 4577-4582.
195. Ram S, Singh RL, and Shanker R (2008) In silico comparison of real-time PCR probes for detection of pathogens. *In Silico Biol* 8, 251-259.

196. Rice JE, Sanchez JA, Pierce KE, and Wangh LJ (2002) Real-time PCR with molecular beacons provides a highly accurate assay for detection of Tay-Sachs alleles in single cells. *Prenat Diagn* 22, 1130-1134.
197. Rousseau S and Brunel D (2003) Use of molecular beacon for the detection of fertile male plants in batches of sterile male rapeseed. *Mol Breed* 12, 91-96.
198. Roy S, Kabir M, Mondal D, Ali IK, Petri WA, Jr., and Haque R (2005) Real-time PCR assay for diagnosis of *Entamoeba histolytica* infection. *J Clin Microbiol* 43, 2168-2172.
199. Saidac DS, Marras SA, and Parveen N (2009) Detection and quantification of Lyme spirochetes using sensitive and specific molecular beacon probes. *BMC Microbiol* 9, 43.
200. Sanchez JA, Pierce KE, Rice JE, and Wangh LJ (2004) Linear-After-The-Exponential (LATE)-PCR: An advanced method of asymmetric PCR and its uses in quantitative real-time analysis. *Proc Natl Acad Sci USA* 101, 1933-1938.
201. Sandhya S, Chen W, and Mulchandani A (2008) Molecular beacons: a real-time polymerase chain reaction assay for detecting *Escherichia coli* from fresh produce and water. *Anal Chim Acta* 614, 208-212.
202. Santi-Rocca J, Weber C, Guigon G, Sismeiro O, Coppee JY, and Guillen N (2007) The lysine- and glutamic acid-rich protein KERP1 plays a role in *Entamoeba histolytica* liver abscess pathogenesis. *Cell Microbiol*.
203. Sebti A, Kiehn TE, Perlin D, Chaturvedi V, Wong M, Doney A, Park S, and Sepkowitz KA (2001) *Candida dubliniensis* at a cancer center. *Clin Infect Dis* 32, 1034-1038.
204. Shi L, Jung YJ, Tyagi S, Gennaro ML, and North RJ (2003) Expression of Th1-mediated immunity in mouse lungs induces a *Mycobacterium tuberculosis* transcription pattern characteristic of nonreplicating persistence. *Proc Natl Acad Sci USA* 100, 241-246.
205. Shi M, Caprau D, Dagle J, Christiansen L, Christensen K, and Murray JC (2004) Application of kinetic polymerase chain reaction and molecular beacon assays to pooled analyses and high-throughput genotyping for candidate genes. *Birth Defects Res Part A Clin Mol Teratol* 70, 65-74.
206. Shih IM, Zhou W, Goodman SN, Lengauer C, Kinzler KW, and Vogelstein B (2001) Evidence that genetic instability occurs at an early stage of colorectal tumorigenesis. *Cancer Res* 61, 818-822.
207. Sidon P, El Housni H, Dessars B, and Heimann P (2006) The JAK2V617F mutation is detectable at very low level in peripheral blood of healthy donors. *Leukemia* 20, 1622.
208. Singh A, Singh Y, Pine R, Shi L, Chandra R, and Drlica K (2006) Protein kinase I of *Mycobacterium tuberculosis*: Cellular localization and expression during infection of macrophage-like cells. *Tuberculosis (Edinb)* 86, 28-33.
209. Singh J, Batish VK, and Grover S (2009) A molecular beacon-based duplex real-time polymerase chain reaction assay for simultaneous detection of *Escherichia coli* O157:H7 and *Listeria monocytogenes* in milk and milk products. *Foodborne Pathog Dis*.
210. Sinsimer D, Leekha S, Park S, Marras SA, Koreen L, Willey B, Naidich S, Musser KA, and Kreiswirth BN (2005) Use of a multiplex molecular beacon platform for rapid detection of methicillin and vancomycin resistance in *Staphylococcus aureus*. *J Clin Microbiol* 43, 4585-4591.

211. Smit ML, Giesendorf BA, Vet JA, Trijbels FJ, and Blom HJ (2001) Semiautomated DNA mutation analysis using a robotic workstation and molecular beacons. *Clin Chem* 47, 739-744.
212. Span PN, Manders P, Heuvel JJ, Thomas CM, Bosch RR, Beex LV, and Sweep CG (2003) Molecular beacon reverse transcription-PCR of human chorionic gonadotropin-beta-3, -5, and -8 mRNAs has prognostic value in breast cancer. *Clin Chem* 49, 1074-1080.
213. Steuerwald N, Cohen J, Herrera RJ, and Brenner CA (1999) Analysis of gene expression in single oocytes and embryos by real-time rapid cycle fluorescence monitored RT-PCR. *Mol Hum Reprod* 5, 1034-1039.
214. Sum SS, Wong DK, Yuen MF, Yuan HJ, Yu J, Lai CL, Ho D, and Zhang L (2004) Real-time PCR assay using molecular beacon for quantitation of hepatitis B virus DNA. *J Clin Microbiol* 42, 3438-3440.
215. Takacs T, Jeney C, Kovacs L, Mozes J, Benczik M, and Sebe A (2008) Molecular beacon-based real-time PCR method for detection of 15 high-risk and 5 low-risk hpv types. *J Virol Methods* 149, 153-162.
216. Templeton KE, Scheltinga SA, Graffelman AW, Van Schie JM, Crielaard JW, Sillekens P, Van Den Broek PJ, Goossens H, Beersma MF, and Claas EC (2003) Comparison and evaluation of real-time PCR, real-time nucleic acid sequence-based amplification, conventional PCR, and serology for diagnosis of *Mycoplasma pneumoniae*. *J Clin Microbiol* 41, 4366-4371.
217. Templeton KE, Scheltinga SA, Sillekens P, Crielaard JW, van Dam AP, Goossens H, and Claas EC (2003) Development and clinical evaluation of an internally controlled, single-tube multiplex real-time PCR assay for detection of *Legionella pneumophila* and other Legionella species. *J Clin Microbiol* 41, 4016-4021.
218. Templeton KE, Scheltinga SA, Van Der Zee A, Diederens BM, Kruijssen AM, Goossens H, Kuijper E, and Claas EC (2003) Evaluation of real-time PCR for detection of and discrimination between *Bordetella pertussis*, *Bordetella parapertussis*, and *Bordetella holmesii* for clinical diagnosis. *J Clin Microbiol* 41, 4121-4126.
219. Templeton KE, Scheltinga SA, Beersma MF, Kroes AC, and Claas EC (2004) Rapid and sensitive method using multiplex real-time PCR for diagnosis of infections by influenza A and influenza B viruses, respiratory syncytial virus, and parainfluenza viruses 1, 2, 3, and 4. *J Clin Microbiol* 42, 1564-1569.
220. Terrell KA, Rasmussen TA, Trygg C, Bunnell BA, and Buck WR (2007) Molecular beacon genotyping for globoid cell leukodystrophy from hair roots in the twitcher mouse and rhesus macaque. *J Neurosci Methods* 163, 60-66.
221. Uyttendaele M, Vanwildemeersch K, and Debevere J (2003) Evaluation of real-time PCR vs automated ELISA and a conventional culture method using a semi-solid medium for detection of *Salmonella*. *Lett Appl Microbiol* 37, 386-391.
222. Valentin A, Trivedi H, Lu W, Kostrikis LG, and Pavlakis GN (2000) CXCR4 mediates entry and productive infection of syncytia-inducing (X4) HIV-1 strains in primary macrophages. *Virology* 269, 294-304.
223. van Schie RC, Marras SAE, Conroy JM, Nowak NJ, Catanese JJ, and de Jong PJ (2000) Semiautomated clone verification by real-time PCR using molecular beacons. *Biotechniques* 29, 1296-1306.

224. Varma-Basil M, El-Hajj H, Colangeli R, Hazbon MH, Kumar S, Bose M, Bobadilla-del-Valle M, Garcia LG, Hernandez A, Kramer FR, Osornio JS, Ponce-de-Leon A, and Alland D (2004) Rapid detection of rifampin resistance in *Mycobacterium tuberculosis* isolates from India and Mexico by a molecular beacon assay. *J Clin Microbiol* 42, 5512-5516.
225. Varma-Basil M, El-Hajj H, Marras SAE, Hazbon MH, Mann JM, Connell ND, Kramer FR, and Alland D (2004) Molecular beacons for multiplex detection of four bacterial bioterrorism agents. *Clin Chem* 50, 1060-1062.
226. Vet JA, Majithia AR, Marras SAE, Tyagi S, Dube S, Poiesz BJ, and Kramer FR (1999) Multiplex detection of four pathogenic retroviruses using molecular beacons. *Proc Natl Acad Sci USA* 96, 6394-6399.
227. Waltz TL, Marras SAE, Rochford G, Nolan J, Lee E, Melegari M, and Pollack H (2005) Development of a molecular-beacon assay to detect the G₁₈₉₆A precore mutation in hepatitis B virus-infected individuals. *J Clin Microbiol* 43, 254-258.
228. Wang XW, Ao JQ, Li QG, and Chen XH (2006) Quantitative detection of a marine fish iridovirus isolated from large yellow croaker, *Pseudosciaena crocea*, using a molecular beacon. *J Virol Methods* 133, 76-81.
229. Warren DK, Liao RS, Merz LR, Eveland M, and Dunne WM, Jr. (2004) Detection of methicillin-resistant *Staphylococcus aureus* directly from nasal swab specimens by a real-time PCR assay. *J Clin Microbiol* 42, 5578-5581.
230. Xiao G, Chicas A, Olivier M, Taya Y, Tyagi S, Kramer FR, and Bargonetti J (2000) A DNA damage signal is required for p53 to activate gadd45. *Cancer Res* 60, 1711-1719.
231. Yang JH, Lai JP, Douglas SD, Metzger D, Zhu XH, and Ho WZ (2002) Real-time RT-PCR for quantitation of hepatitis C virus RNA. *J Virol Methods* 102, 119-128.
232. Yeh H Y, Hwang YC, Yates MV, Mulchandani A, and Chen W (2008) Detection of hepatitis A virus using a combined cell-culture - molecular beacon assay. *Appl Environ Microbiol*
233. Yeo AC, Chan KP, Kumarasinghe G, and Yap HK (2005) Rapid detection of codon 460 mutations in the UL97 gene of ganciclovir-resistant cytomegalovirus clinical isolates by real-time PCR using molecular beacons. *Mol Cell Probes* 19, 389-393.
234. Yesilkaya H, Meacci F, Niemann S, Hillemann D, Rusch-Gerdes S, Barer MR, Andrew PW, and Oggioni MR (2006) Evaluation of molecular-beacon, TaqMan, and fluorescence resonance energy transfer probes for detection of antibiotic resistance-conferring single nucleotide polymorphisms in mixed *Mycobacterium tuberculosis* DNA extracts. *J Clin Microbiol* 44, 3826-3829.
235. Zhan G, Shaheen F, Mackiewicz M, Fenik P, and Veasey SC (2002) Single cell laser dissection with molecular beacon polymerase chain reaction identifies 2A as the predominant serotonin receptor subtype in hypoglossal motoneurons. *Neuroscience* 113, 145-154.
236. Zhang L, Lewin SR, Markowitz M, Lin HH, Skulsky E, Karanicolas R, He Y, Jin X, Tuttleton S, Vesananen M, Spiegel H, Kost R, van Lunzen J, Stellbrink HJ, Wolinsky S, Borkowsky W, Palumbo P, Kostrikis LG, and Ho DD (1999) Measuring recent thymic emigrants in blood of normal and HIV-1-infected individuals before and after effective therapy. *J Exp Med* 190, 725-732.

237. Zhang X, Yu RM, Jones PD, Lam GK, Newsted JL, Gracia T, Hecker M, Hilscherova K, Sanderson T, Wu RS, and Giesy JP (2005) Quantitative RT-PCR methods for evaluating toxicant-induced effects on steroidogenesis using the H295R cell line. *Environ Sci Technol* 39, 2777-2785.

VI. Papers on molecular beacons used in real-time NASBA assays

238. Abd el-Galil KH, el-Sokkary MA, Kheira SM, Salazar AM, Yates MV, Chen W, and Mulchandani A (2005) Real-time nucleic acid sequence-based amplification assay for detection of hepatitis A virus. *Appl Environ Microbiol* 71, 7113-7116.
239. Antunes R, Figueiredo S, Bartolo I, Pinheiro M, Rosado L, Soares I, Lourenco H, and Taveira N (2003) Evaluation of the clinical sensitivities of three viral load assays with plasma samples from a pediatric population predominantly infected with human immunodeficiency virus type 1 subtype G and BG recombinant forms. *J Clin Microbiol* 41, 3361-3367.
240. Ayele W, Pollakis G, Abebe A, Fisseha B, Tegbaru B, Tesfaye G, Mengistu Y, Wolday D, van Gemen B, Goudsmit J, Dorigo-Zetsma W, and de Baar MP (2004) Development of a nucleic acid sequence-based amplification assay that uses gag-based molecular beacons to distinguish between Human Immunodeficiency Virus type 1 subtype C and C' infections in Ethiopia. *J Clin Microbiol* 42, 1534-1541.
241. Ayele W, Baar MP, Goudsmit J, Kliphuis A, Tilahun T, Dorigo-Zetsma W, Wolday D, Abebe A, Mengistu Y, and Pollakis G (2005) Surveillance technology for HIV-1 subtype C in Ethiopia: an env-based NASBA molecular beacon assay to discriminate between subcluster C and C'. *J Virol Methods* 130, 22-29.
242. Berard C, Cazalis MA, Leissner P, and Mougin B (2004) DNA nucleic acid sequence-based amplification-based genotyping for polymorphism analysis. *Biotechniques* 37, 680-686.
243. Capaul SE and Gorgievski-Hrisoho M (2005) Detection of enterovirus RNA in cerebrospinal fluid (CSF) using NucliSens EasyQ Enterovirus assay. *J Clin Virol* 32, 236-240.
244. Casper ET, Paul JH, Smith MC, and Gray M (2004) Detection and quantification of the red tide dinoflagellate *Karenia brevis* by real-time nucleic acid sequence-based amplification. *Appl Environ Microbiol* 70, 4727-4732.
245. Chantratita W, Pongtanapisit W, Piroj W, Srichunrasmi C, and Seesuai S (2004) Development and comparison of the real-time amplification based methods--NASBA-Beacon, RT-PCR taqman and RT-PCR hybridization probe assays--for the qualitative detection of SARS coronavirus. *Southeast Asian J Trop Med Public Health* 35, 623-629.
246. Churrua E, Girbau C, Martinez I, Mateo E, Alonso R, and Fernandez-Astorga A (2007) Detection of *Campylobacter jejuni* and *Campylobacter coli* in chicken meat samples by real-time nucleic acid sequence-based amplification with molecular beacons. *Int J Food Microbiol* 117, 85-90.
247. Cuschieri KS, Whitley MJ, and Cubie HA (2004) Human papillomavirus type specific DNA and RNA persistence-implications for cervical disease progression and monitoring. *J Med Virol* 73, 65-70.

248. de Baar MP, van Dooren MW, de Rooij E, Bakker M, van Gemen B, Goudsmit J, and de Ronde A (2001) Single rapid real-time monitored isothermal RNA amplification assay for quantification of Human Immunodeficiency Virus type 1 isolates from groups M, N, and O. *J Clin Microbiol* 39, 1378-1384.
249. de Baar MP, Timmermans EC, Bakker M, de Rooij E, van Gemen B, and Goudsmit J (2001) One-tube real-time isothermal amplification assay to identify and distinguish Human Immunodeficiency Virus Type 1 subtypes A, B, and C and circulating recombinant forms AE and AG. *J Clin Microbiol* 39, 1895-1902.
250. Deiman B, Schrover C, Moore C, Westmoreland D, and van de Wiel P (2007) Rapid and highly sensitive qualitative real-time assay for detection of respiratory syncytial virus A and B using NASBA and molecular beacon technology. *J Virol Methods*.
251. Deiman B, Jay C, Zintilini C, Vermeer S, van Strijp D, Venema F, and van de Wiel P (2008) Efficient amplification with NASBA((R)) of hepatitis B virus, herpes simplex virus and methicillin resistant *Staphylococcus aureus* DNA. *J Virol Methods* 151, 283-293.
252. de Mendoza C, Koppelman M, Montes B, Ferre V, Soriano V, Cuypers H, Segondy M, and Oosterlaken T (2005) Multicenter evaluation of the NucliSens EasyQ HIV-1 v1.1 assay for the quantitative detection of HIV-1 RNA in plasma. *J Virol Methods* 127, 54-59.
253. de Ronde A, van Dooren M, van Der Hoek L, Bouwhuis D, de Rooij E, van Gemen B, de Boer R, and Goudsmit J (2001) Establishment of new transmissible and drug-sensitive Human Immunodeficiency Virus type 1 wild types due to transmission of nucleoside analogue-resistant virus. *J Virol* 75, 595-602.
254. Dimov IK, Garcia-Cordero JL, O'Grady J, Poulsen CR, Viguiet C, Kent L, Daly P, Lincoln B, Maher M, O'Kennedy R, Smith TJ, Ricco AJ, and Lee LP (2008) Integrated microfluidic tmRNA purification and real-time NASBA device for molecular diagnostics. *Lab Chip* 8, 2071-2078.
255. Fihman V, Hannouche D, Bousson V, Bardin T, Liote F, Raskine L, Riahi J, Sanson-Le Pors MJ, and Bercot B (2007) Improved diagnosis specificity in bone and joint infections using molecular techniques. *J Infect* 55, 510-517.
256. Fox JD, Han S, Samuelson A, Zhang Y, Neale ML, and Westmoreland D (2002) Development and evaluation of nucleic acid sequence based amplification (NASBA) for diagnosis of enterovirus infections using the NucliSens Basic Kit. *J Clin Virol* 24, 117-130.
257. Fradet Y, Saad F, Aprikian A, Dessureault J, Elhilali M, Trudel C, Masse B, Piche L, and Chypre C (2004) uPM3, a new molecular urine test for the detection of prostate cancer. *Urology* 64, 311-316.
258. Fykse EM, Skogan G, Davies W, Olsen JS, and Blatny JM (2007) Detection of *Vibrio cholerae* by real-time nucleic acid sequence-based amplification. *Appl Environ Microbiol* 73, 1457-1466.
259. Ginocchio CC, Manji R, Lotlikar M, and Zhang F (2008) Clinical evaluation of nuclisens magnetic extraction and nuclisens analytic specific reagents for the real time detection of human metapneumovirus (hmpv) in pediatric respiratory specimens. *J Clin Microbiol*

260. Goncalves MC, Klerks MM, Verbeek M, Vega J, and van den Heuvel J (2002) The use of molecular beacons combined with NASBA for the sensitive detection of sugarcane yellow leaf virus. *Eur J Plant Pathol* 108, 401-407.
261. Gore HM, Wakeman CA, Hull RM, and McKillip JL (2003) Real-time molecular beacon NASBA reveals hblC expression from *Bacillus* spp. in milk. *Biochem Biophys Res Commun* 311, 386-390.
262. Gottesman BS, Grossman Z, Lorber M, Levi I, Shitrit P, Katzir M, Shahar E, Gottesman G, and Chowers M (2006) Comparative performance of the Amplicor HIV-1 monitor assay versus NucliSens EasyQ in HIV subtype C-infected patients. *J Med Virol* 78, 883-887.
263. Greijer AE, Adriaanse HM, Dekkers CA, and Middeldorp JM (2002) Multiplex real-time NASBA for monitoring expression dynamics of human cytomegalovirus encoded IE1 and pp67 RNA. *J Clin Virol* 24, 57-66.
264. Gulliksen A, Solli L, Karlsen F, Rogne H, Hovig E, Nordstrom T, and Sirevag R (2004) Real-time nucleic acid sequence-based amplification in nanoliter volumes. *Anal Chem* 76, 9-14.
265. Heijnen L and Medema G (2009) Method for rapid detection of viable *Escherichia coli* in water using real-time NASBA. *Water Res* 43, 3124-3132.
266. Hibbitts S, Rahman A, John R, Westmoreland D, and Fox JD (2003) Development and evaluation of NucliSens basic kit NASBA for diagnosis of parainfluenza virus infection with 'end-point' and 'real-time' detection. *J Virol Methods* 108, 145-155.
267. Keightley MC, Sillekens P, Schippers W, Rinaldo C, and George KS (2005) Real-time NASBA detection of SARS-associated coronavirus and comparison with real-time reverse transcription-PCR. *J Med Virol* 77, 602-608.
268. Klerks MM, Leone GO, Verbeek M, van den Heuvel JF, and Schoen CD (2001) Development of a multiplex AmpliDet RNA for the simultaneous detection of potato leafroll virus and potato virus Y in potato tubers. *J Virol Methods* 93, 115-125.
269. Klerks MM, Lindner JL, Vaskova D, Spak J, Thompson JR, Jelkmann W, and Schoen CD (2004) Detection and tentative grouping of strawberry crinkle virus isolates. *Eur J Plant Pathol* 110, 45-52.
270. Lam HY, Chen JH, Wong KH, Chan K, Li P, Lee MP, Tsang DN, Yuen KY, and Yam WC (2007) Evaluation of NucliSens EasyQtrade mark HIV-1 assay for quantification of HIV-1 subtypes prevalent in South-east Asia. *J Clin Virol* 38, 39-43.
271. Lamhoujeb S, Fliss I, Ngazoa SE, and Jean J (2008) Evaluation of the persistence of infectious human noroviruses on food surfaces using molecular beacon-based nucleic acid sequence-based amplification. *Appl Environ Microbiol*.
272. Lamhoujeb S, Charest H, Fliss I, Ngazoa S, and Jean J (2009) Real-time molecular beacon NASBA for rapid and sensitive detection of norovirus GII in clinical samples. *Can J Microbiol* 55, 1375-1380.
273. Lanciotti RS and Kerst AJ (2001) Nucleic acid sequence-based amplification assays for rapid detection of West Nile and St. Louis encephalitis viruses. *J Clin Microbiol* 39, 4506-4513.

274. Landry ML, Garner R, and Ferguson D (2005) Real-time nucleic acid sequence-based amplification using molecular beacons for detection of enterovirus RNA in clinical specimens. *J Clin Microbiol* 43, 3136-3139.
275. Leone G, van Schijndel H, van Gemen B, Kramer FR, and Schoen CD (1998) Molecular beacon probes combined with amplification by NASBA enable homogeneous, real-time detection of RNA. *Nucleic Acids Res* 26, 2150-2155.
276. Loens K, Ieven M, Ursi D, Beck T, Overdijk M, Sillekens P, and Goossens H (2003) Detection of *Mycoplasma pneumoniae* by real-time nucleic acid sequence-based amplification. *J Clin Microbiol* 41, 4448-4450.
277. Loens K, Beck T, Goossens H, Ursi D, Overdijk M, Sillekens P, and Ieven M (2006) Development of conventional and real-time NASBA(R) for the detection of *Legionella* species in respiratory specimens. *J Microbiol Methods* 67, 408-415.
278. Loens K, Beck T, Goossens H, Ursi D, Overdijk M, Sillekens P, and Ieven M (2006) Development of conventional and real-time nucleic acid sequence-based amplification assays for detection of *Chlamydomphila pneumoniae* in respiratory specimens. *J Clin Microbiol* 44, 1241-1244.
279. Loens K, Beck T, Ursi D, Overdijk M, Sillekens P, Goossens H, and Ieven M (2007) Development of real-time multiplex NASBA(R) for the detection of *Mycoplasma pneumoniae*, *Chlamydomphila pneumoniae* and *Legionella* spp. in respiratory specimens. *J Clin Microbiol*.
280. McClernon DR, Vavro C, and St Clair M (2006) Evaluation of a real-time nucleic acid sequence-based amplification assay using molecular beacons for detection of human immunodeficiency virus type 1. *J Clin Microbiol* 44, 2280-2282.
281. Mohlala BK, Tucker TJ, Besser MJ, Williamson C, Yeats J, Smit L, Anthony J, and Puren A (2005) Investigation of HIV in amniotic fluid from HIV-infected pregnant women at full term. *J Infect Dis* 192, 488-491.
282. Molden T, Kraus I, Skomedal H, Nordstrom T, and Karlsen F (2007) PreTecttrade mark HPV-Proof: Real-time detection and typing of E6/E7 mRNA from carcinogenic human papillomaviruses. *J Virol Methods* 142, 204-212.
283. Moore C, Hibbitts S, Owen N, Corden SA, Harrison G, Fox J, Gelder C, and Westmoreland D (2004) Development and evaluation of a real-time nucleic acid sequence based amplification assay for rapid detection of influenza A. *J Med Virol* 74, 619-628.
284. Moore C, Valappil M, Corden S, and Westmoreland D (2006) Enhanced clinical utility of the NucliSens EasyQ RSV A+B Assay for rapid detection of respiratory syncytial virus in clinical samples. *Eur J Clin Microbiol Infect Dis* 25, 167-174.
285. Nadal A, Coll A, Cook N, and Pla M (2007) A molecular beacon-based real time NASBA assay for detection of *Listeria monocytogenes* in food products: Role of target mRNA secondary structure on NASBA design. *J Microbiol Methods* 68, 623-632.
286. Patterson SS, Casper ET, Garcia-Rubio L, Smith MC, and Paul JH, 3rd (2005) Increased precision of microbial RNA quantification using NASBA with an internal control. *J Microbiol Methods* 60, 343-352.
287. Patterson SS, Smith MW, Casper ET, Huffman D, Stark L, Fries D, and Paul JH (2006) A nucleic acid sequence-based amplification assay for real-time detection of norovirus genogroup II. *J Appl Microbiol* 101, 956-963.

288. Polstra AM, Goudsmit J, and Cornelissen M (2002) Development of real-time NASBA assays with molecular beacon detection to quantify mRNA coding for HHV-8 lytic and latent genes. *BMC Infect Dis* 2, 18-28.
289. Rodes B, Sheldon J, Toro C, Cuevas L, Perez-Pastrana E, Herrera I, and Soriano V (2007) Quantitative detection of plasma human immunodeficiency virus type 2 subtype A RNA by the Nuclisens EasyQ assay (Version 1.1). *J Clin Microbiol* 45, 88-92.
290. Rodriguez-Lazaro D, D'Agostino M, Pla M, and Cook N (2004) Construction strategy for an internal amplification control for real-time diagnostic assays using nucleic acid sequence-based amplification: development and clinical application. *J Clin Microbiol* 42, 5832-5836.
291. Rodriguez-Lazaro D, Lloyd J, Herrewegh A, Ikonomopoulos J, D'Agostino M, Pla M, and Cook N (2004) A molecular beacon-based real-time NASBA assay for detection of *Mycobacterium avium* subsp. *paratuberculosis* in water and milk. *FEMS Microbiol Lett* 237, 119-126.
292. Rutjes SA, Italiaander R, van den Berg HH, Lodder WJ, and de Roda Husman AM (2005) Isolation and detection of enterovirus RNA from large-volume water samples by using the NucliSens miniMAG system and real-time nucleic acid sequence-based amplification. *Appl Environ Microbiol* 71, 3734-3740.
293. Schneider P, Wolters L, Schoone G, Schallig H, Sillekens P, Hermsen R, and Sauerwein R (2005) Real-time nucleic acid sequence-based amplification is more convenient than real-time PCR for quantification of *Plasmodium falciparum*. *J Clin Microbiol* 43, 402-405.
294. Starkey WG, Millar RM, Jenkins ME, Ireland JH, Muir KF, and Richards RH (2004) Detection of piscine nodaviruses by real-time nucleic acid sequence based amplification (NASBA). *Dis Aquat Organ* 59, 93-100.
295. Starkey WG, Smail DA, Bleie H, Muir KF, Ireland JH, and Richards RH (2006) Detection of infectious salmon anaemia virus by real-time nucleic acid sequence based amplification. *Dis Aquat Organ* 72, 107-113.
296. Stevens W, Wiggill T, Horsfield P, Coetzee L, and Scott LE (2005) Evaluation of the NucliSens EasyQ assay in HIV-1-infected individuals in South Africa. *J Virol Methods* 124, 105-110.
297. Stevens W, Horsfield P, and Scott LE (2007) Evaluation of the performance of the automated NucliSENS EasyMAG and EasyQ systems versus the Roche Ampliprep/Amplior combination for high throughput HIV viral load monitoring. *J Clin Microbiol* 45, 1244-1249.
298. Szemes M, Klerks MM, van den Heuvel JF, and Schoen CD (2002) Development of a multiplex AmpliDet RNA assay for simultaneous detection and typing of potato virus Y isolates. *J Virol Methods* 100, 83-96.
299. Szemes M and Schoen CD (2003) Design of molecular beacons for AmpliDet RNA assay-characterization of binding stability and probe specificity. *Anal Biochem* 315, 189-201.

300. van Beckhoven JR, Stead DE, and van der Wolf JM (2002) Detection of *Clavibacter michiganensis* subsp. *sepedonicus* by AmpliDet RNA, a new technology based on real-time monitoring of NASBA amplicons with a molecular beacon. *J Appl Microbiol* 93, 840-849.
301. van Beuningen R, Marras SAE, Kramer FR, Oosterlaken T, Weusten J, Borst G, and van de Wiel P (2001) Development of a high-throughput detection system for HIV-1 using real-time NASBA based on molecular beacons. *SPIE* 4264, 66-71.
302. van der Wolf JM, van Beckhoven J, de Haan EG, van den Bovenkamp GW, and Leone GOM (2004) Specific detection of *Ralstonia solanacearum* 16S rRNA sequences by AmpliDet RNA. *Eur J Plant Pathol* 110, 25-33.
303. Vaskova D, Spak J, Klerks MM, Schoen CD, Thompson JR, and Jelkmann W (2004) Real-time NASBA for detection of strawberry vein banding virus. *Eur J Plant Pathol* 110, 213-221.
304. Weusten JJ, Carpay WM, Oosterlaken TA, van Zuijlen MC, and van de Wiel PA (2002) Principles of quantitation of viral loads using nucleic acid sequence-based amplification in combination with homogeneous detection using molecular beacons. *Nucleic Acids Res* 30, e26.
305. Weusten JJ, Wouters PA, van Zuijlen MC, and van de Wiel PA (2002) Stochastic processes defining sensitivity and variability of internally calibrated quantitative NASBA-based viral load assays. *Nucleic Acids Res* 30, e137.
306. Yao J, Liu Z, Ko LS, Pan G, and Jiang Y (2005) Quantitative detection of HIV-1 RNA using NucliSens EasyQ HIV-1 assay. *J Virol Methods* 129, 40-46.
307. Yates S, Penning M, Goudsmit J, Frantzen I, van de Weijer B, van Strijp D, and van Gemen B (2001) Quantitative detection of hepatitis B virus DNA by real-time nucleic acid sequence-based amplification with molecular beacon detection. *J Clin Microbiol* 39, 3656-3665.
308. Zhao Y, Park S, Kreiswirth BN, Ginocchio CC, Veyret R, Laayoun A, Troesch A, and Perlin DS (2009) A rapid real-time nucleic acid sequence-based amplification (NASBA)-molecular beacons platform to detect fungal and bacterial bloodstream infections. *J Clin Microbiol* 47, 2067-2078.
309. Zhao Y, Park S, Warn P, Shrief R, Harrison E, and Perlin DS (2010) Detection of *Aspergillus fumigatus* in a rat model of invasive pulmonary aspergillosis by real-time nucleic acid sequence-based amplification (NASBA). *J Clin Microbiol*.

VII. Papers on molecular beacons used on arrays

310. Beaucage SL (2001) Strategies in the preparation of DNA oligonucleotide arrays for diagnostic applications. *Curr Med Chem* 8, 1213-1244.
311. Bockisch B, Grunwald T, Spillner E, and Bredehorst R (2005) Immobilized stem-loop structured probes as conformational switches for enzymatic detection of microbial 16S rRNA. *Nucleic Acids Res* 33, e101.
312. Brown LJ, Cummins J, Hamilton A, and Brown T (2000) Molecular beacons attached to glass beads fluoresce upon hybridisation to target DNA. *Chem Commun* 7, 621-622.

313. Culha M, Stokes DL, Griffin GD, and Vo-Dinh T (2004) Screening for the breast cancer gene (BRCA1) using a biochip system and molecular beacon probes immobilized on solid surfaces. *J Biomed Opt* 9, 439-443.
314. Culha M, Stokes DL, Griffin GD, and Vo-Dinh T (2004) Application of a miniature biochip using the molecular beacon probe in breast cancer gene BRCA1 detection. *Biosens Bioelectron* 19, 1007-1012.
315. Du H, Disney MD, Miller BL, and Krauss TD (2003) Hybridization-based unquenching of DNA hairpins on au surfaces: prototypical molecular beacon biosensors. *J Am Chem Soc* 125, 4012-4013.
316. Du H, Strohsahl CM, Camera J, Miller BL, and Krauss TD (2005) Sensitivity and specificity of metal surface-immobilized molecular beacon biosensors. *J Am Chem Soc* 127, 7932-7940.
317. Epstein JR, Leung AP, Lee KH, and Walt DR (2003) High-density, microsphere-based fiber optic DNA microarrays. *Biosens Bioelectron* 18, 541-546.
318. Fang XH, Liu XJ, Schuster S, and Tan WH (1999) Designing a novel molecular beacon for surface-immobilized DNA hybridization studies. *J Am Chem Soc* 121, 2921-2922.
319. Kim H, Kane MD, Kim S, Dominguez W, Applegate BM, and Savikhin S (2006) A molecular beacon DNA microarray system for rapid detection of *E. coli* O157:H7 that eliminates the risk of a false negative signal. *Biosens Bioelectron* 22, 1041-1047.
320. Li J, Tan W, Wang K, Xiao D, Yang X, He X, and Tang Z (2001) Ultrasensitive optical DNA biosensor based on surface immobilization of molecular beacon by a bridge structure. *Anal Sci* 17, 1149-1153.
321. Liu X and Tan W (1999) A fiber-optic evanescent wave DNA biosensor based on novel molecular beacons. *Anal Chem* 71, 5054-5059.
322. Liu X, Farmerie W, Schuster S, and Tan W (2000) Molecular beacons for DNA biosensors with micrometer to submicrometer dimensions. *Anal Biochem* 283, 56-63.
323. Martinez K, Estevez MC, Wu Y, Phillips JA, Medley CD, and Tan W (2009) Locked nucleic acid based beacons for surface interaction studies and biosensor development. *Anal Chem* 81, 3448-3454.
324. Palecek E (2004) Surface-attached molecular beacons light the way for DNA sequencing. *Trends Biotechnol* 22, 55-58.
325. Situma C, Moehring AJ, Noor MA, and Soper SA (2006) Immobilized molecular beacons: A new strategy using UV-activated poly(methyl methacrylate) surfaces to provide large fluorescence sensitivities for reporting on molecular association events. *Anal Biochem* 363, 35-45.
326. Steemers FJ, Ferguson JA, and Walt DR (2000) Screening unlabeled DNA targets with randomly ordered fiber-optic gene arrays. *Nat Biotechnol* 18, 91-94.
327. Wang H, Li J, Liu H, Liu Q, Mei Q, Wang Y, Zhu J, He N, and Lu Z (2002) Label-free hybridization detection of a single nucleotide mismatch by immobilization of molecular beacons on an agarose film. *Nucleic Acids Res* 30, e61.
328. Yao G and Tan W (2004) Molecular beacon-based array for sensitive DNA analysis. *Anal Biochem* 331, 216-223.

329. Zhao X, Tapeç-Dytioco R, Wang K, and Tan W (2003) Collection of trace amounts of DNA/mRNA molecules using genomagnetic nanocaptors. *Anal Chem* 75, 3476-3483.

VIII. Papers on general application of molecular beacons

330. Andersen CB, Holst-Jensen A, Berdal KG, Thorstensen T, and Tengs T (2006) Equal performance of TaqMan, MGB, molecular beacon, and SYBR green-based detection assays in detection and quantification of roundup ready soybean. *J Agric Food Chem* 54, 9658-9663.
331. Angelatos AS, Johnston AP, Wang Y, and Caruso F (2007) Probing the permeability of polyelectrolyte multilayer capsules via a molecular beacon approach. *Langmuir* 23, 4554-4562.
332. Antony T, Thomas T, Sigal LH, Shirahata A, and Thomas TJ (2001) A molecular beacon strategy for the thermodynamic characterization of triplex DNA: triplex formation at the promoter region of cyclin D1. *Biochemistry* 40, 9387-9395.
333. Antony T and Subramaniam V (2002) A molecular beacon strategy for real-time monitoring of triplex DNA formation kinetics. *Antisense Nucleic Acid Drug Dev* 12, 145-154.
334. Bang GS, Cho S, and Kim BG (2005) A novel electrochemical detection method for aptamer biosensors. *Biosens Bioelectron* 21, 863-870.
335. Barilero T, Le Saux T, Gosse C, and Jullien L (2009) Fluorescent thermometers for dual-emission-wavelength measurements: molecular engineering and application to thermal imaging in a microsystem. *Anal Chem*.
336. Bar-Ziv R and Libchaber A (2001) Effects of DNA sequence and structure on binding of RecA to single-stranded DNA. *Proc Natl Acad Sci USA* 98, 9068-9073.
337. Belon C, and Frick D (2008) Monitoring helicase activity with molecular beacons. *Biotechniques* 45, 433- 442.
338. Belon CA and Frick DN (2009) Fuel specificity of the hepatitis C virus NS3 helicase. *J Mol Biol* 388, 851-864.
339. Bernacchi S and Mely Y (2001) Exciton interaction in molecular beacons: a sensitive sensor for short range modifications of the nucleic acid structure. *Nucleic Acids Res* 29, e62.
340. Bernacchi S, Ennifar E, Toth K, Walter P, Langowski J, and Dumas P (2005) Mechanism of hairpin-duplex conversion for the HIV-1 dimerization initiation site. *J Biol Chem* 280, 40112-40121.
341. Biggins JB, Prudent JR, Marshall DJ, Ruppen M, and Thorson JS (2000) A continuous assay for DNA cleavage: The application of 'break lights' to enediynes, iron-dependent agents, and nucleases. *Proc Natl Acad Sci USA* 97, 13537-13542.
342. Bonnet G, Krichevsky O, and Libchaber A (1998) Kinetics of conformational fluctuations in DNA hairpin-loops. *Proc Natl Acad Sci USA* 95, 8602-8606.
343. Bourdoncle A, Estevez Torres A, Gosse C, Lacroix L, Vekhoff P, Le Saux T, Jullien L, and Mergny JL (2006) Quadruplex-Based Molecular Beacons as Tunable DNA Probes. *J Am Chem Soc* 128, 11094-11105.

344. Browne KA (2005) Sequence-specific, self-reporting hairpin inversion probes. *J Am Chem Soc* 127, 1989-1994.
345. Brunner J and Kraemer R (2004) Copper(II)-quenched oligonucleotide probes for fluorescent DNA sensing. *J Am Chem Soc* 126, 13626-13627.
346. Bustamante LY, Crooke A, Martinez J, Diez A, and Bautista JM (2004) Dual-function stem molecular beacons to assess mRNA expression in AT-rich transcripts of *Plasmodium falciparum*. *Biotechniques* 36, 488-494.
347. Cady NC, Strickland AD, and Batt CA (2006) Optimized linkage and quenching strategies for quantum dot molecular beacons. *Mol Cell Probes* 21, 116-124.
348. Cady NC (2009) Quantum dot molecular beacons for DNA detection. *Methods Mol Biol* 544, 367-379.
349. Cazzato A, Capobianco ML, Zambianchi M, Favaretto L, Bettini C, and Barbarella G (2007) Oligothiophene molecular beacons. *Bioconjug Chem* 18, 318-322.
350. Cederquist KB, Stoermer Golightly R, and Keating CD (2008) Molecular beacon-metal nanowire interface: effect of probe sequence and surface coverage on sensor performance. *Langmuir* 24, 9162-9171.
351. Chang E, Zhu MQ, and Drezek R (2007) Novel siRNA-based molecular beacons for dual imaging and therapy. *Biotechnol J* 2, 2-5.
352. Chang IH, Tulock JJ, Liu J, Kim WS, Cannon DM, Jr., Lu Y, Bohn PW, Sweedler JV, and Cropek DM (2005) Miniaturized lead sensor based on lead-specific DNAzyme in a nanocapillary interconnected microfluidic device. *Environ Sci Technol* 39, 3756-3761.
353. Chen J, Lovell JF, Lo PC, Stefflova K, Niedre M, Wilson BC, and Zheng G (2008) A tumor mRNA-triggered photodynamic molecular beacon based on oligonucleotide hairpin control of singlet oxygen production. *Photochem Photobiol Sci* 7, 775-781.
354. Conley NR, Pomerantz AK, Wang H, Twieg RJ, and Moerner WE (2007) Bulk and single-molecule characterization of an improved molecular beacon utilizing H-dimer excitonic behavior. *J Phys Chem B* 111, 7929-7931.
355. Conlon P, Yang CJ, Wu Y, Chen Y, Martinez K, Kim Y, Stevens N, Marti AA, Jockusch S, Turro NJ, and Tan W (2008) Pyrene excimer signaling molecular beacons for probing nucleic acids. *J Am Chem Soc* 130, 336-342.
356. Crey-Desbiolles C, Ahn DR, and Leumann CJ (2005) Molecular beacons with a homo-DNA stem: improving target selectivity. *Nucleic Acids Res* 33, e77.
357. Darby RA, Sollogoub M, McKeen C, Brown L, Risitano A, Brown N, Barton C, Brown T, and Fox KR (2002) High throughput measurement of duplex, triplex and quadruplex melting curves using molecular beacons and a LightCycler. *Nucleic Acids Res* 30, e39.
358. Deerinck TJ (2008) The application of fluorescent quantum dots to confocal, multiphoton, and electron microscopic imaging. *Toxicol Pathol* 36, 112-116.
359. Deng P, Lee YK, and Cheng P (2005) Two-dimensional micro-bubble actuator array to enhance the efficiency of molecular beacon based DNA micro-biosensors. *Biosens Bioelectron* 21, 1443-1450.

360. Dodge A, Turcatti G, Lawrence I, de Rooij NF, and Verpoorte E (2004) A microfluidic platform using molecular beacon-based temperature calibration for thermal dehybridization of surface-bound DNA. *Anal Chem* 76, 1778-1787.
361. Dong D, Pang Y, Gao Q, Huang X, Xu Y, and Li R (2009) Rapid monitoring of mRNA levels with a molecular beacon during microbial fermentation. *J Biotechnol.*
362. Drake TJ, Medley CD, Sen A, Rogers RJ, and Tan W (2005) Stochasticity of manganese superoxide dismutase mRNA expression in breast carcinoma cells by molecular beacon imaging. *Chembiochem* 6, 2041-2047.
363. Dummitt B and Chang YH (2006) Molecular beacons for DNA binding proteins: an emerging technology for detection of DNA binding proteins and their ligands. *Assay Drug Dev Technol* 4, 343-349.
364. Englund EA and Appella DH (2005) Synthesis of gamma-substituted peptide nucleic acids: A new place to attach fluorophores without affecting DNA binding. *Org Lett* 7, 3465-3467.
365. Fang X and Tan W (1999) Imaging single fluorescent molecules at the interface of an optical fiber probe by evanescent wave excitation. *Anal Chem* 71, 3101-3105.
366. Fang X, Li JJ, and Tan W (2000) Using molecular beacons to probe molecular interactions between lactate dehydrogenase and single-stranded DNA. *Anal Chem* 72, 3280-3285.
367. Fang XH, Sen A, Vicens M, and Tan WH (2003) Synthetic DNA aptamers to detect protein molecular variants in a high-throughput fluorescence quenching assay. *Chembiochem* 4, 829-834.
368. Feng X, Duan X, Liu L, An L, Feng F, and Wang S (2008) Cationic conjugated polyelectrolyte/molecular beacon complex for sensitive, sequence-specific, real-time DNA detection. *Langmuir* 24, 12138-12141.
369. Frauendorf C and Jaschke A (2001) Detection of small organic analytes by fluorescing molecular switches. *Bioorg Med Chem* 9, 2521-2524.
370. Fujimoto K, Shimizu H, and Inouye M (2004) Unambiguous detection of target DNAs by excimer-monomer switching molecular beacons. *J Org Chem* 69, 3271-3275.
371. Ganguly S, Ghosh S, Chattopadhyay D, and Das P (2004) Antisense molecular beacon strategy for in situ visualization of snRNA and fibrillarin protein interaction in *Giardia lamblia*. *RNA Biol* 1, 48-53.
372. Gao W, Tyagi S, Kramer FR, and Goldman E (1997) Messenger RNA release from ribosomes during 5'-translational blockage by consecutive low-usage arginine but not leucine codons in *Escherichia coli*. *Mol Microbiol* 25, 707-716.
373. Ghosn B, Haselton FR, Gee KR, and Monroe WT (2005) Control of DNA hybridization with photocleavable adducts. *Photochem Photobiol* 81, 953-959.
374. Goddard NL, Bonnet G, Krichevsky O, and Libchaber A (2000) Sequence dependent rigidity of single stranded DNA. *Phys Rev Lett* 85, 2400-2403.
375. Gold B, Rodriguez GM, Marras SAE, Pentecost M, and Smith I (2001) The *Mycobacterium tuberculosis* IdeR is a dual functional regulator that controls transcription of genes involved in iron acquisition, iron storage and survival in macrophages. *Mol Microbiol* 42, 851-865.

376. Grossmann TN, Roglin L, and Seitz O (2007) Triplex molecular beacons as modular probes for DNA detection. *Angew Chem Int Ed Engl* 46, 5223-5225.
377. Hall B, Hesselberth JR, and Ellington AD (2007) Computational selection of nucleic acid biosensors via a slip structure model. *Biosens Bioelectron* 22, 1939-1947.
378. Hall B, Cater S, Levy M, and Ellington AD (2009) Kinetic optimization of a protein-responsive aptamer beacon. *Biotechnol Bioeng* 103, 1049-1059.
379. Hamaguchi N, Ellington A, and Stanton M (2001) Aptamer beacons for the direct detection of proteins. *Anal Biochem* 294, 126-131.
380. Han D, Kim YR, Oh JW, Kim TH, Mahajan RK, Kim JS, and Kim H (2009) A regenerative electrochemical sensor based on oligonucleotide for the selective determination of mercury(II). *Analyst* 134, 1857-1862.
381. Haner R, Biner SM, Langenegger SM, Meng T, and Malinovskii VL (2010) A highly sensitive, excimer-controlled molecular beacon. *Angew Chem Int Ed Engl* 49, 1-5.
382. Hartig JS, Grune I, Najafi-Shoushtari SH, and Famulok M (2004) Sequence-specific detection of microRNAs by signal-amplifying ribozymes. *J Am Chem Soc* 126, 722-723.
383. He HQ, Ma XH, Liu B, Zhang XY, Chen WZ, Wang CX, and Cheng SH (2007) High-throughput real-time assay based on molecular beacons for HIV-1 integrase 3'-processing reaction. *Acta Pharmacol Sin* 28, 811-817.
384. He JL, Wu ZS, Zhang SB, Shen GL, and Yu RQ (2009) Fluorescence aptasensor based on competitive-binding for human neutrophil elastase detection. *Talanta* 80, 1264-1268.
385. Hianik T, Ostatna V, Sonlajtnerova M, and Grman I (2006) Influence of ionic strength, pH and aptamer configuration for binding affinity to thrombin. *Bioelectrochemistry* 70, 127-133.
386. Hong Y, Haubetaler M, Lam JW, Li Z, Sin KK, Dong Y, Tong H, Liu J, Qin A, Renneberg R, and Tang BZ (2008) Label-free fluorescent probing of G-quadruplex formation and real-time monitoring of DNA folding by a quaternized tetraphenylethene salt with aggregation-induced emission characteristics. *Chem Euro J* 14, 6428-6437.
387. Hopkins JF and Woodson SA (2005) Molecular beacons as probes of RNA unfolding under native conditions. *Nucleic Acids Res* 33, 5763-5770.
388. Hopkins JF, Panja S, McNeil SA, and Woodson SA (2009) Effect of salt and RNA structure on annealing and strand displacement by Hfq. *Nucleic Acids Res.*
389. Horejsh D, Martini F, Poccia F, Ippolito G, Di Caro A, and Capobianchi MR (2005) A molecular beacon, bead-based assay for the detection of nucleic acids by flow cytometry. *Nucleic Acids Res* 33, e13.
390. Hou J, Liu X, Wang J, Liu J, and Duan T (2007) Molecular beacons for isothermal fluorescence enhancement by the cleavage of RNase HII from *Chlamydia pneumoniae*. *Anal Biochem* 371, 162-166.
391. Hou J, Liu X, Zheng Y, and Liu J (2007) A method for HLA genotyping using the specific cleavage of DNA-rN(1)-DNA/DNA with RNase HII from *Chlamydia pneumoniae*. *Oligonucleotides* 17, 433-444.
392. Huang Q, and Quinones E (2008) A spectroscopic method to determine the activity of the restriction endonuclease EcoRV that involves a single reaction. *Anal Biochem.*

393. Hwang DW, Song IC, Lee DS and Kim S (2009) Smart magnetic fluorescent nanoparticle imaging probes to monitor microRNAs. *Small*.
394. Hwang GT, Seo YJ, and Kim BH (2004) A highly discriminating quencher-free molecular beacon for probing DNA. *J Am Chem Soc* 126, 6528-6529.
395. Ishchenko AA, Deprez E, Maksimenko A, Brochon JC, Tauc P, and Saparbaev MK (2006) Uncoupling of the base excision and nucleotide incision repair pathways reveals their respective biological roles. *Proc Natl Acad Sci USA* 103, 2564-2569.
396. Jaumot J, Eritja R, Tauler R, and Gargallo R (2006) Resolution of a structural competition involving dimeric G-quadruplex and its C-rich complementary strand. *Nucleic Acids Res* 34, 206-216.
397. Jeong HS, Seo YJ, Bang EK, Hwang GT, Jung JH, Jang SK, and Kim BH (2008) Cholesterol-linked pyrene excimer molecular beacon with enhanced cell permeability. *Nucleic Acids Symp Ser (Oxf)* 351-352.
398. Jin Y, Wang K, Tan W, Wu P, Wang Q, Huang H, Huang S, Tang Z, and Guo Q (2004) Monitoring molecular beacon/DNA interactions using atomic force microscopy. *Anal Chem* 76, 5721-5725.
399. Jockusch S, Marti AA, Turro NJ, Li Z, Li X, Ju J, Stevens N, and Akins DL (2006) Spectroscopic investigation of a FRET molecular beacon containing two fluorophores for probing DNA/RNA sequences. *Photochem Photobiol Sci* 5, 493-498.
400. Johansson MK, Fidler H, Dick D, and Cook RM (2002) Intramolecular dimers: A new strategy to fluorescence quenching in dual-labeled oligonucleotide probes. *J Am Chem Soc* 124, 6950-6956.
401. Johnson SC, Sherrill CB, Marshall DJ, Moser MJ, and Prudent JR (2004) A third base pair for the polymerase chain reaction: inserting isoC and isoG. *Nucleic Acids Res* 32, 1937-1941.
402. Johnston AP and Caruso F (2005) A molecular beacon approach to measuring the DNA permeability of thin films. *J Am Chem Soc* 127, 10014-10015.
403. Jones R, Baker MB, Weber M, Harrison DG, Bao G, and Searles CD (2009) Molecular beacons can assess changes in expression and 3' polyadenylation of human eNOS mRNA. *Am J Physiol Cell Physiol*.
404. Jordens JZ, Lanham S, Pickett MA, Amarasekara S, Abeywickrema I, and Watt PJ (2000) Amplification with molecular beacon primers and reverse line blotting for the detection and typing of human papillomaviruses. *J Virol Methods* 89, 29-37.
405. Joshi HS and Tor Y (2001) Metal-containing DNA hairpins as hybridization probes. *Chemical Comm* 6, 549-550.
406. Jung J, Chen L, Lee S, Kim S, Seong GH, Choo J, Lee EK, and Oh CH (2007) Fast and sensitive DNA analysis using changes in the FRET signals of molecular beacons in a PDMS microfluidic channel. *Anal Bioanal Chem* 387, 2609-2615.
407. Kaboev OK, Luchkina LA, Tret'iakov AN, and Bahrmand AR (2000) PCR hot start using primers with the structure of molecular beacons (hairpin-like structure). *Nucleic Acids Res* 28, e94.

408. Kashida H, Takatsu T, Fujii T, Sekiguchi K, Liang X, Niwa K, Takase T, Yoshida Y, and Asanuma H (2009) In-stem molecular beacon containing a pseudo base pair of threoinol nucleotides for the removal of background emission. *Angew Chem Int Ed Engl* 48, 7044-7047.
409. Kehlenbach RH (2003) *In vitro* analysis of nuclear mRNA export using molecular beacons for target detection. *Nucleic Acids Res* 31, e64.
410. Kerby MB, Freeman S, Prachanronarong K, Artenstein AW, Opal SM, and Tripathi A (2008) Direct sequence detection of structured H5 influenza viral RNA. *J Mol Diagn* 10, 225-235.
411. Kim JH, Morikis D, and Ozkan M (2004) Adaptation of inorganic quantum dots for stable molecular beacons. *Sensors and Actuators B* 102, 315-319.
412. Kim S, Chen L, Lee S, Seong GH, Choo J, Lee EK, and Oh CH (2007) Rapid DNA hybridization analysis using a PDMS microfluidic sensor and a molecular beacon. *Anal Sci* 23, 401-405.
413. Kim Y, Yang CJ, and Tan W (2007) Superior structure stability and selectivity of hairpin nucleic acid probes with an L-DNA stem. *Nucleic Acids Res* 35, 7279-7287.
414. Kitagawa F, Ohori Y, Ikeda H, Fujimori H, Murakami Y, and Nakamura Y (2002) Design of a molecular beacon PNA. *Nucleic Acids Res Suppl* 2, 143-144.
415. Knemeyer JP, Marme N, and Sauer M (2000) Probes for detection of specific DNA sequences at the single-molecule level. *Anal Chem* 72, 3717-3724.
416. Kong D, Jin Y, Yin Y, Mi H, and Shen H (2007) Real-time PCR detection of telomerase activity using specific molecular beacon probes. *Anal Bioanal Chem* 388, 699-709.
417. Kong DM, Gu L, Shen HX, and Mi HF (2002) A modified molecular beacon combining the properties of TaqMan probe. *Chem Commun (Camb)*, 854-855.
418. Kovacs J, Jentzsch E, and Mokhir A (2008) Cu(2+)-controlled hybridization of peptide nucleic acids. *Inorg Chem* 47, 11965-11971.
419. Krasnoperov LN, Marras SAE, Kozlov M, Wirpsza L, and Mustaev A (2010) Luminescent probes for ultrasensitive detection of nucleic acids. *Bioconjug Chem*.
420. Krusinski T, Wietrzych M, Grad I, Ozyhar A, and Dobryszycki P (2008) Equilibrium analysis of the DNA binding domain of the ultraspiracle protein interaction with the response element from the hsp27 gene promoter - the application of molecular beacon technology. *J Fluoresc* 18, 1-10.
421. Krusinski T, Laskowska A, Ozyhar A, and Dobryszycki P (2008) The application of an immobilized molecular beacon for the analysis of the DNA binding domains from the ecdysteroid receptor proteins Usp and EcR's interaction with the hsp27 response element. *J Biomol Screen* 13, 899-905.
422. Kuechenmeister LJ, Anderson KL, Morrison JM, and Dunman PM (2009) The use of molecular beacons to directly measure bacterial mRNA abundances and transcript degradation. *J Microbiol Methods* 76, 146-151.
423. Kuhn H, Demidov VV, Gildea BD, Fiandaca MJ, Coull JC, and Frank-Kamenetskii MD (2001) PNA beacons for duplex DNA. *Antisense Nucleic Acid Drug Dev* 11, 265-270.

424. Kuhn H, Demidov VV, Coull JM, Fiandaca MJ, Gildea BD, and Frank-Kamenetskii MD (2002) Hybridization of DNA and PNA molecular beacons to single-stranded and double-stranded DNA targets. *J Am Chem Soc* 124, 1097-1103.
425. Kundu LM, Burgdorf LT, Kleiner O, Batschauer A, and Carell T (2002) Cleavable substrate containing molecular beacons for the quantification of DNA-photolyase activity. *Chembiochem* 3, 1053-1060.
426. Kwon K, Nagarajan R, and Stivers JT (2004) Ribonuclease activity of vaccinia DNA topoisomerase IB: kinetic and high-throughput inhibition studies using a robust continuous fluorescence assay. *Biochemistry* 43, 14994-15004.
427. Lagally ET, Lee SH, and Soh HT (2005) Integrated microsystem for dielectrophoretic cell concentration and genetic detection. *Lab Chip* 5, 1053-1058.
428. La Paz JL, Esteve T, and Pla M (2007) Comparison of real-time PCR detection chemistries and cycling modes using Mon810 event-specific assays as model. *J Agric Food Chem* 55, 4312-4318.
429. Larios-Sanz M, Kourentzi KD, Warmflash D, Jones J, Pierson DL, Willson RC, and Fox GE (2007) 16S rRNA beacons for bacterial monitoring during human space missions. *Aviat Space Environ Med* 78, A43-47.
430. Lenaerts J, Lappin-Scott HM, and Porter J (2007) Improved fluorescent in situ hybridisation detection of bacteria from activated sludge and river water using DNA molecular beacons and flow cytometry. *Appl Environ Microbiol* 73, 2020-2023.
431. Lerga TM, and O'Sullivan CK (2008) Rapid determination of total hardness in water using fluorescent molecular aptamer beacon. *Anal Chim Acta* 610, 105-111.
432. Levy M, Cater SF, and Ellington AD (2005) Quantum-dot aptamer beacons for the detection of proteins. *Chembiochem* 6, 2163-2166.
433. Li J, Cao ZC, Tang Z, Wang K, and Tan W (2008) Molecular beacons for protein-DNA interaction studies. *Methods Mol Biol* 429, 209-224.
434. Li JJ, Fang X, Schuster SM, and Tan W (2000) Molecular beacons: A novel approach to detect protein - DNA interactions. *Angew Chem Int Ed Engl* 39, 1049-1052.
435. Li JJ, Geyer R, and Tan W (2000) Using molecular beacons as a sensitive fluorescence assay for enzymatic cleavage of single-stranded DNA. *Nucleic Acids Res* 28, e52.
436. Li JJ, Fang X, and Tan W (2002) Molecular aptamer beacons for real-time protein recognition. *Biochem Biophys Res Commun* 292, 31-40.
437. Li JJ and Tan W (2003) A real-time assay for DNA sticky-end pairing using molecular beacons. *Anal Biochem* 312, 251-254.
438. Li JJ, Chu Y, Lee BY, and Xie XS (2008) Enzymatic signal amplification of molecular beacons for sensitive DNA detection. *Nucleic Acids Res* 36, e36.
439. Li X, Li Z, Marti AA, Jockusch S, Stevens N, Akins DL, Turro NJ, and Ju J (2006) Combinatorial fluorescence energy transfer molecular beacons for probing nucleic acid sequences. *Photochem Photobiol Sci* 5, 896-902.
440. Li X, Huang Y, Guan Y, Zhao M, and Li Y (2007) A novel one cycle allele specific primer extension-molecular beacon displacement method for DNA point mutation detection with improved specificity. *Anal Chim Acta* 584, 12-18.

441. Li X, Huang Y, Song C, Zhao M, and Li Y (2007) Several concerns about the primer design in the universal molecular beacon real-time PCR assay and its application in HBV DNA detection. *Anal Bioanal Chem* 388, 979-985.
442. Li X, Song C, Zhao M, and Li Y (2008) Continuous monitoring of restriction endonuclease cleavage activity by universal molecular beacon light quenching coupled with real-time polymerase chain reaction. *Anal Biochem* 381, 5-7.
443. Li X, Morgenroth E, and Raskin L (2008) Quantitative rRNA-targeted solution-based hybridization assay using peptide nucleic acid molecular beacons. *Appl Environ Microbiol* 74, 7297-7305.
444. Lindquist JN, Kauschke SG, Stefanovic B, Burchardt ER, and Brenner DA (2000) Characterization of the interaction between alphaCP(2) and the 3'-untranslated region of collagen alpha1(I) mRNA. *Nucleic Acids Res* 28, 4306-4316.
445. Liu CW, Lin YW, Huang CC, and Chang HT (2009) Fluorescence detection of single-nucleotide polymorphisms using a thymidine-based molecular beacon. *Biosens Bioelectron*.
446. Liu J, Feldman P, and Chung TD (2002) Real-time monitoring *in vitro* transcription using molecular beacons. *Anal Biochem* 300, 40-45.
447. Liu J, Liu XM, Xiao SY, Tong CY, Tang DY, and Zhao LJ (2005) Bioconjugated nanoparticle for DNA protection from ultrasound damage. *Anal Sci* 21, 193-195.
448. Liu J and Lu Y (2006) Fluorescent DNAzyme biosensors for metal ions based on catalytic molecular beacons. *Methods Mol Biol* 335, 275-288.
449. Liu L, Tang Z, Wang K, Tan W, Li J, Guo Q, Meng X, and Ma C (2005) Using molecular beacon to monitor activity of *E. coli* DNA ligase. *Analyst* 130, 350-357.
450. Liu XP, Hou JL, and Liu JH (2009) A novel single nucleotide polymorphism detection of a double-stranded DNA target by a ribonucleotide-carrying molecular beacon and thermostable RNase HII. *Anal Biochem*.
451. Lo PC, Chen J, Stefflova K, Warren MS, Navab R, Bandarchi B, Mullins S, Tsao M, Cheng JD, and Zheng G (2009) Photodynamic molecular beacon triggered by fibroblast activation protein on cancer-associated fibroblasts for diagnosis and treatment of epithelial cancers. *J Med Chem*.
452. Lou HJ, Brister JR, Li JJ, Chen W, Muzyczka N, and Tan W (2004) Adeno-associated virus Rep78/Rep68 promotes localized melting of the rep binding element in the absence of adenosine triphosphate. *ChemBiochem* 5, 324-332.
453. McGown E, Su M, and Dennis R (2000) Measurement of molecular beacons in the SRECTRAmax (R) GEMINI spectrofluorometer. *J Chem Technol Biotechnol* 75, 942-944.
454. Ma C, Tang Z, Wang K, Tan W, Li J, Li W, Li Z, Yang X, Li H, and Liu L (2006) Real-time monitoring of DNA polymerase activity using molecular beacon. *Anal Biochem* 353, 141-143.
455. Ma C, Tang Z, Wang K, Tan W, Yang X, Li W, Li Z, Li H, and Lv X (2007) Real-time monitoring of nucleic acid dephosphorylation by using molecular beacons. *ChemBiochem* 8, 1487-1490.

456. Ma C, Tang Z, Wang K, Tan W, Yang X, Li W, Li Z, and Lv X (2008) Real-time monitoring of restriction endonuclease activity using molecular beacon. *Anal Biochem* 363, 294-296.
457. Ma C, Yang X, Wang K, Tang Z, Li W, Tan W, and Lv X (2007) A novel kinase-based ATP assay using molecular beacon. *Anal Biochem*.
458. Ma C, Tang Z, Huo X, Yang X, Li W, and Tan W (2008) Real-time monitoring of double-stranded DNA cleavage using molecular beacons. *Talanta* 76, 458-461.
459. Maksimenko A, Ishchenko AA, Sanz G, Laval J, Elder RH, and Saparbaev MK (2004) A molecular beacon assay for measuring base excision repair activities. *Biochem Biophys Res Commun* 319, 240-246.
460. Mao X, Jiang J, Xu X, Chu X, Luo Y, Shen G, and Yu R (2008) Enzymatic amplification detection of DNA based on molecular beacon biosensors. *Biosens Bioelectron* 23, 1555-1561.
461. Mao X, Xu H, Zeng Q, Zeng L, and Liu G (2009) Molecular beacon-functionalized gold nanoparticles as probes in dry-reagent strip biosensor for DNA analysis. *Chem Commun (Camb)* 3065-3067.
462. Marras SAE, Gold B, Kramer FR, Smith I, and Tyagi S (2004) Real-time measurement of *in vitro* transcription. *Nucleic Acids Res* 32, e72.
463. Marti AA, Jockusch S, Li Z, Ju J, and Turro NJ (2006) Molecular beacons with intrinsically fluorescent nucleotides. *Nucleic Acids Res* 34, e50.
464. Marti AA, Jockusch S, Stevens N, Ju J, and Turro NJ (2007) Fluorescent hybridization probes for sensitive and selective DNA and RNA detection. *Acc Chem Res* 40, 402-409.
465. Matsumoto K, Shinohara Y, Bag SS, Takeuchi Y, Morii T, Saito Y, and Saito I (2009) Pyrene-labeled deoxyguanosine as a fluorescence sensor to discriminate single and double stranded DNA structures: design of ends free molecular beacons. *Bioorg Med Chem Lett* 19, 6392-6395.
466. May JP, Brown LJ, Rudloff I, and Brown T (2003) A new dark quencher for use in genetic analysis. *Chem Commun (Camb)*, 970-971.
467. Medintz IL, Berti L, Pons T, Grimes AF, English DS, Alessandrini A, Facci P, and Mattoussi H (2007) A reactive peptidic linker for self-assembling hybrid quantum dot-DNA bioconjugates. *Nano Lett* 7, 1741-1748.
468. Medley CD, Drake TJ, Tomasini JM, Rogers RJ, and Tan W (2005) Simultaneous monitoring of the expression of multiple genes inside of single breast carcinoma cells. *Anal Chem* 77, 4713-4718.
469. Metelev V, Weissleder R, and Bogdanov A, Jr. (2004) Synthesis and properties of fluorescent NF-kappaB-recognizing hairpin oligodeoxyribonucleotide decoys. *Bioconjug Chem* 15, 1481-1487.
470. Mirbahai L, Kershaw RM, Green RM, Hayden RE, Meldrum RA, and Hodges NJ (2009) Use of a molecular beacon to track the activity of base excision repair protein OGG1 in live cells. *DNA Repair (Amst)*.
471. Misra A, Kumar P, and Gupta KC (2007) Design and synthesis of hairpin probe for specific mis-match discrimination. *Nucleic Acids Symp Ser (Oxf)* 51, 311-312.

472. Monroe WT and Haselton FR (2003) Molecular beacon sequence design algorithm. *Biotechniques* 34, 68-73.
473. Morse DP (2007) Direct selection of RNA beacon aptamers. *Biochem Biophys Res Commun* 359, 94-101.
474. Mukewar P, Wang G, Henning P, Bao G, and Wang M (2004) Segmentation of bionano images for understanding cell dynamics. *Conf Proc IEEE Eng Med Biol Soc* 3, 1759-1762.
475. Muradrasoli S, Mohamed N, Belak S, Czifra G, Herrmann B, Berencsi G, and Blomberg J (2009) Broadly targeted triplex real-time PCR detection of influenza A, B and C viruses based on the nucleoprotein gene and a novel "MegaBeacon" probe strategy. *J Virol Methods*.
476. Narita A, Ogawa K, Sando S, and Aoyama Y (2007) Cis-regulatory hairpin-shaped mRNA encoding a reporter protein: catalytic sensing of nucleic acid sequence at single nucleotide resolution. *Nat Protoc* 2, 1105-1116.
477. Nazarenko IA, Bhatnagar SK, and Hohman RJ (1997) A closed tube format for amplification and detection of DNA based on energy transfer. *Nucleic Acids Res* 25, 2516-2521.
478. Nellaker C, Wallgren U, and Karlsson H (2007) Molecular beacon-based temperature control and automated analyses for improved resolution of melting temperature analysis using SYBR I green chemistry. *Clin Chem* 53, 98-103.
479. Nesterova IV, Erdem SS, Pakhomov S, Hammer RP, and Soper SA (2009) Phthalocyanine dimerization-based molecular beacons using near-IR fluorescence. *J Am Chem Soc* 131, 2432-2433.
480. Niemeyer CM and Adler M (2002) Nanomechanical devices based on DNA. *Angew Chem Int Ed* 41, 3779-3782.
481. Nilsson M, Gullberg M, Dahl F, Szuhai K, and Raap AK (2002) Real-time monitoring of rolling-circle amplification using a modified molecular beacon design. *Nucleic Acids Res* 30, e66.
482. Nutiu R and Li Y (2002) Tripartite molecular beacons. *Nucleic Acids Res* 30, e94.
483. Oh KJ, Cash KJ, Lubin AA, and Plaxco KW (2007) Chimeric peptide beacons: A direct polypeptide analog of DNA molecular beacons. *Chem Commun (Camb)* 4869-4871.
484. Oh KJ, Cash KJ, and Plaxco KW (2009) Beyond molecular beacons: optical sensors based on the binding-induced folding of proteins and polypeptides. *Chemistry* 15, 2244-2251.
485. Okamoto A, Tanabe K, Inasaki T, and Saito I (2003) Phototriggered drug release from functionalized oligonucleotides by a molecular beacon strategy. *Angew Chem Int Ed Engl* 42, 2502-2504.
486. Paiboonskuwong K and Kato Y (2006) Detection of the mature, but not precursor, RNA using a fluorescent DNA probe. *Nucleic Acids Symp Ser (Oxf)*, 327-328.
487. Pattanayak V, Gifford LK, Lu P, and Gewirtz AM (2008) Observed versus predicted structure of fluorescent self-quenching reporter molecules (sqrm): Caveats with respect to the use of "stem-loop" oligonucleotides as probes for mRNA folding. *RNA* 14, 657-665.

488. Pattyn F, Speleman F, De Paepe A, and Vandesompele J (2003) RTPrimerDB: The real-time PCR primer and probe database. *Nucleic Acids Res* 31, 122-123.
489. Petersen K, Vogel U, Rockenbauer E, Nielsen KV, Kolvraa S, Bolund L, and Nexø B (2004) Short PNA molecular beacons for real-time PCR allelic discrimination of single nucleotide polymorphisms. *Mol Cell Probes* 18, 117-122.
490. Prosseda G, Mazzola A, Di Martino ML, Tielker D, Micheli G, and Colonna B (2010) A temperature-induced narrow DNA curvature range sustains maximum activity of a bacterial promoter in vitro. *Biochemistry*.
491. Puleo CM and Wang TH (2009) Microfluidic means of achieving attomolar detection limits with molecular beacon probes. *Lab Chip* 9, 1065-1072.
492. Raab M and Hancock WO (2007) Transport and detection of unlabeled nucleotide targets by microtubules functionalized with molecular beacons. *Biotechnol Bioeng*.
493. Radi AE, Acero Sanchez JL, Baldrich E, and O'Sullivan CK (2006) Reagentless, reusable, ultrasensitive electrochemical molecular beacon aptasensor. *J Am Chem Soc* 128, 117-124.
494. Rajendran M and Ellington AD (2003) *In vitro* selection of molecular beacons. *Nucleic Acids Res* 31, 5700-5713.
495. Rajendran M and Ellington AD (2008) Selection of fluorescent aptamer beacons that light up in the presence of zinc. *Anal Bioanal Chem* 390, 1067-1075.
496. Ramachandran A, Zhang M, Goad D, Olah G, Malayer JR, and El-Rassi Z (2003) Capillary electrophoresis and fluorescence studies on molecular beacon-based variable length oligonucleotide target discrimination. *Electrophoresis* 24, 70-77.
497. Ramachandran A, Flinchbaugh J, Ayoubi P, Olah GA, and Malayer JR (2004) Target discrimination by surface-immobilized molecular beacons designed to detect *Francisella tularensis*. *Biosens Bioelectron* 19, 727-736.
498. Ramakrishnan A and Sadana A (2002) A kinetic study of analyte-receptor binding and dissociation for biosensor applications: a fractal analysis for two different DNA systems. *Biosystems* 66, 165-177.
499. Rehman S, Kapur N, Durgapal H, and Panda SK (2008) Subcellular localization of hepatitis E virus (HEV) replicase. *Virology* 370, 77-92.
500. Rizzo J, Gifford LK, Zhang X, Gewirtz AM, and Lu P (2002) Chimeric RNA-DNA molecular beacon assay for ribonuclease H activity. *Mol Cell Probes* 16, 277-283.
501. Root DD, Vaccaro C, Zhang Z, and Castro M (2004) Detection of single nucleotide variations by a hybridization proximity assay based on molecular beacons and luminescence resonance energy transfer. *Biopolymers* 75, 60-70.
502. Saha BK, Tian B, and Bucy RP (2001) Quantitation of HIV-1 by real-time PCR with a unique fluorogenic probe. *J Virol Methods* 93, 33-42.
503. Saito Y, Mizuno E, Bag SS, Suzuka I, and Saito I (2007) Design of a novel G-quenched molecular beacon: A simple and efficient strategy for DNA sequence analysis. *Chem Commun (Camb)* 43, 4492-4494.
504. Saito Y, Numajiri K, Bag SS, Mizuno E, and Saito I (2008) Design of an efficient self-quenched molecular beacon for SNPs genotyping. *Nucleic Acids Symp Ser (Oxf)* 359-360.

505. Saito Y, Shinohara Y, Bag SS, Takeuchi Y, Matsumoto K, and Saito I (2008) Design of an ultimate quencher free molecular beacon containing pyrrolocytidine-guanine base pair. *Nucleic Acids Symp Ser (Oxf)* 361-362.
506. Satterfield BC, West JA, and Caplan MR (2007) Tentacle probes: eliminating false positives without sacrificing sensitivity. *Nucleic Acids Res* 35, e76.
507. Schofield P, Pell AN, and Krause DO (1997) Molecular beacons: trial of a fluorescence-based solution hybridization technique for ecological studies with ruminal bacteria. *Appl Environ Microbiol* 63, 1143-1147.
508. Seitz O (2000) Solid-phase synthesis of doubly labeled peptide nucleic acids as probes for the real-time detection of hybridization. *Angew Chem Int Ed Engl* 39, 3249-3252.
509. Seitz O and Kohler O (2001) Convergent strategies for the attachment of fluorescing reporter groups to peptide nucleic acids in solution and on solid phase. *Chem Eur J* 7, 3911-3925.
510. Seo YJ, Jeong HS, Bang EK, Hwang GT, Jung JH, Jang SK, and Kim BH (2006) Cholesterol-linked fluorescent molecular beacons with enhanced cell permeability. *Bioconjug Chem* 17, 1151-1155.
511. Sheng P, Yang Z, Kim Y, Wu Y, Tan W, and Benner SA (2008) Design of a novel molecular beacon: modification of the stem with artificially genetic alphabet. *Chem Commun (Camb)* 5128-5130.
512. Shi C, Gu H, and Ma C (2009) An aptamer-based fluorescent biosensor for potassium ion detection using a pyrene-labeled molecular beacon. *Anal Biochem*.
513. Sidon P, Heimann P, Lambert F, Dessars B, Robin V, and El Housni H (2006) Combined locked nucleic acid and molecular beacon technologies for sensitive detection of the JAK2V617F somatic single-base sequence variant. *Clin Chem* 52, 1436-1438.
514. Soni GV and Meller A (2007) Progress toward ultrafast DNA sequencing using solid-state nanopores. *Clin Chem*.
515. Stojanovic MN, de Prada P, and Landry DW (2001) Catalytic molecular beacons. *Chembiochem* 2, 411-415.
516. Stoermer RL, Cederquist KB, McFarland SK, Sha MY, Penn SG, and Keating CD (2006) Coupling molecular beacons to barcoded metal nanowires for multiplexed, sealed chamber DNA bioassays. *J Am Chem Soc* 128, 16892-16903.
517. Stoermer RL and Keating CD (2006) Distance-dependent emission from dye-labeled oligonucleotides on striped au/ag nanowires: effect of secondary structure and hybridization efficiency. *J Am Chem Soc* 128, 13243-13254.
518. Strohsahl CM, Krauss TD, and Miller BL (2007) Identification of high-stringency DNA hairpin probes by partial gene folding. *Biosens Bioelectron* 23, 233-240.
519. Strouse RJ, Hakki FZ, Wang SC, DeFusco AW, Garrett JL, and Schenerman MA (2000) Using molecular beacons to quantify low levels of type I endonuclease activity. *Biopharm* 13, 40-47.
520. Summerer D (2008) DNA polymerase profiling. *Methods Mol Biol* 429, 225-235.
521. Summerer D and Marx A (2002) A molecular beacon for quantitative monitoring of the DNA polymerase reaction in real-time. *Angew Chem Int Ed Engl* 41, 3620-3622.

522. Tan L, Li Y, Drake TJ, Moroz L, Wang K, Li J, Munteanu A, James Yang C, Martinez K, and Tan W (2005) Molecular beacons for bioanalytical applications. *Analyst* 130, 1002-1005.
523. Tang H, Yang X, Wang K, Tan W, Li H, He L, and Liu B (2008) RNA-templated single-base mutation detection based on T4 DNA ligase and reverse molecular beacon. *Talanta* 75, 1388-1393.
524. Tang Z, Wang K, Tan W, Li J, Liu L, Guo Q, Meng X, Ma C, and Huang S (2003) Real-time monitoring of nucleic acid ligation in homogenous solutions using molecular beacons. *Nucleic Acids Res* 31, e148.
525. Tang Z, Wang K, Tan W, Ma C, Li J, Liu L, Guo Q, and Meng X (2005) Real-time investigation of nucleic acids phosphorylation process using molecular beacons. *Nucleic Acids Res* 33, e97.
526. Taveau M, Stockholm D, Spencer M, and Richard I (2002) Quantification of splice variants using molecular beacon or scorpion primers. *Anal Biochem* 305, 227-235.
527. Thelwell N, Millington S, Solinas A, Booth J, and Brown T (2000) Mode of action and application of Scorpion primers to mutation detection. *Nucleic Acids Res* 28, 3752-3761.
528. Tok J, Lai J, Leung T, and Li SF (2010) Molecular aptamer beacon for myotonic dystrophy kinase-related Cdc42-binding kinase alpha. *Talanta* 81, 732-736.
529. Thurley S, Roglin L, and Seitz O (2007) Hairpin peptide beacon: dual-labeled PNA-peptide-hybrids for protein detection. *J Am Chem Soc* 129, 12693-12695.
530. Tsourkas A, Behlke MA, and Bao G (2002) Hybridization of 2'-O-methyl and 2'-deoxy molecular beacons to RNA and DNA targets. *Nucleic Acids Res* 30, 5168-5174.
531. Tsourkas A, Behlke MA, and Bao G (2002) Structure-function relationships of shared-stem and conventional molecular beacons. *Nucleic Acids Res* 30, 4208-4215.
532. Tsourkas A, Behlke MA, Rose SD, and Bao G (2003) Hybridization kinetics and thermodynamics of molecular beacons. *Nucleic Acids Res* 31, 1319-1330.
533. Tsourkas A, Behlke MA, Xu Y, and Bao G (2003) Spectroscopic features of dual fluorescence/luminescence resonance energy-transfer molecular beacons. *Anal Chem* 75, 3697-3703.
534. Tung CH, Mahmood U, Bredow S, and Weissleder R (2000) *In vivo* imaging of proteolytic enzyme activity using a novel molecular reporter. *Cancer Res* 60, 4953-4958.
535. Ueno Y, Kawamura A, Kato T, and Kitade Y (2007) Synthesis and properties of a novel molecular beacon containing a benzene-phosphate backbone at a stem moiety. *Nucleic Acids Symp Ser (Oxf)* 51, 293-294.
536. Ueno Y, Kawamura A, Takasu K, Komatsuzaki S, Kato T, Kuboe S, Kitamura Y, and Kitade Y (2009) Synthesis and properties of a novel molecular beacon containing a benzene-phosphate backbone at its stem moiety. *Org Biomol Chem* 7, 2761-2769.
537. Urata H, Tamaki C, Matsuno M, Wada S, and Akagi M (2007) Monitoring of Eco RI-catalyzed cleavage reaction of fluorescent-labeled heterochiral DNA. *Nucleic Acids Symp Ser (Oxf)* 51, 453-454.
538. Vallee-Belisle A, Ricci F, and Plaxco KW (2009) Thermodynamic basis for the optimization of binding-induced biomolecular switches and structure-switching biosensors. *Proc Natl Acad Sci USA* 106, 13802-13807.

539. Varghese R and Wagenknecht HA (2009) Red-white-blue emission switching molecular beacons: ratiometric multicolour DNA hybridization probes. *Org Biomol Chem* 8, 526-528.
540. Venkatesan N, Jun Seo Y, and Hyeon Kim B (2008) Quencher-free molecular beacons: A new strategy in fluorescence based nucleic acid analysis. *Chem Soc Rev* 37, 648-663.
541. Vet JA and Marras SAE (2004) Design and optimization of molecular beacon real-time polymerase chain reaction assays. *Methods Mol Biol* 288, 273-290.
542. Vicens MC, Sen A, Vanderlaan A, Drake TJ, and Tan W (2005) Investigation of molecular beacon aptamer-based bioassay for platelet-derived growth factor detection. *Chembiochem* 6, 900-907.
543. Vijayanathan V, Thomas T, Sigal LH, and Thomas TJ (2002) Direct measurement of the association constant of HER2/neu antisense oligonucleotide to its target RNA sequence using a molecular beacon. *Antisense Nucleic Acid Drug Dev* 12, 225-233.
544. Vitko J, Rujan I, Androga LA, Mukerji I, and Bolton PH (2007) Molecular beacon-equilibrium cyclization detection of DNA-protein complexes. *Biophys J* 93, 3210-3217.
545. Wabuyele MB, Farquar H, Stryjewski W, Hammer RP, Soper SA, Cheng YW, and Barany F (2003) Approaching real-time molecular diagnostics: single-pair fluorescence resonance energy transfer (spFRET) detection for the analysis of low abundant point mutations in K-ras oncogenes. *J Am Chem Soc* 125, 6937-6945.
546. Wang G, Becker E, and Mesa C (2007) Optimization of 6-carboxy-X-rhodamine concentration for real-time polymerase chain reaction using molecular beacon chemistry. *Can J Microbiol* 53, 391-397.
547. Wang J, Wang W, Liu Y, Duo L, Huang L, and Jiang X (2009) The method of single-nucleotide variations detection using capillary electrophoresis and molecular beacons. *Mol Biol Rep* 36, 1903-1908.
548. Wang L, Blasic JR, Jr., Holden MJ, and Pires R (2005) Sensitivity comparison of real-time PCR probe designs on a model DNA plasmid. *Anal Biochem* 344, 257-265.
549. Wang L, Yang CJ, Medley CD, Benner SA, and Tan W (2005) Locked nucleic acid molecular beacons. *J Am Chem Soc* 127, 15664-15665.
550. Wang TH, Peng Y, Zhang C, Wong PK, and Ho CM (2005) Single-molecule tracing on a fluidic microchip for quantitative detection of low-abundance nucleic acids. *J Am Chem Soc* 127, 5354-5359.
551. Wang X, Yun W, Dong P, Zhou J, He P, and Fang Y (2008) A controllable solid-state $\text{Ru}(\text{bpy})_3(2+)$ electrochemiluminescence film based on conformation change of ferrocene-labeled DNA molecular beacon. *Langmuir* 24, 2200-2205.
552. Wang X, Dong P, Yun W, Xu Y, He P, and Fang Y (2009) A solid-state electrochemiluminescence biosensing switch for detection of thrombin based on ferrocene-labeled molecular beacon aptamer. *Biosens Bioelectron* 24, 3288-3292.
553. Wang X, Dong P, Yun W, Xu Y, He P, and Fang Y (2010) Detection of T4 DNA ligase using a solid-state electrochemiluminescence biosensing switch based on ferrocene-labeled molecular beacon. *Talanta* 80, 1643-1647.

554. Wang Y, Wang H, Gao L, Liu H, Lu Z, and He N (2005) Polyacrylamide gel film immobilized molecular beacon array for single nucleotide mismatch detection. *J Nanosci Nanotechnol* 5, 653-658.
555. Wang Y, Li J, Jin J, Wang H, Tang H, Yang R, and Wang K (2009) Strategy for molecular beacon binding readout: separating molecular recognition element and signal reporter. *Anal Chem*.
556. Whitcombe D, Theaker J, Guy SP, Brown T, and Little S (1999) Detection of PCR products using self-probing amplicons and fluorescence. *Nat Biotechnol* 17, 804-807.
557. Wilson R and Johansson MK (2003) Photoluminescence and electrochemiluminescence of a Ru(II)(bpy)₃-quencher dual-labeled oligonucleotide probe. *Chem Comm (Camb)*, 2710-2711.
558. Wolfrum C and Josten A (2005) Oligonucleotides as coding molecules in an anti-counterfeiting system. *Nucleosides Nucleotides Nucleic Acids* 24, 1069-1074.
559. Wu ZS, Jiang JH, Shen GL, and Yu RQ (2007) Highly sensitive DNA detection and point mutation identification: an electrochemical approach based on the combined use of ligase and reverse molecular beacon. *Hum Mutat* 0, 1-8.
560. Xi C, Balberg M, Boppart SA, and Raskin L (2003) Use of DNA and peptide nucleic acid molecular beacons for detection and quantification of rRNA in solution and in whole cells. *Appl Environ Microbiol* 69, 5673-5678.
561. Xi C, Raskin L, and Boppart SA (2005) Evaluation of microfluidic biosensor development using microscopic analysis of molecular beacon hybridization kinetics. *Biomed Microdevices* 7, 7-12.
562. Xiao Y, Pavlov V, Niazov T, Dishon A, Kotler M, and Willner I (2004) Catalytic beacons for the detection of DNA and telomerase activity. *J Am Chem Soc* 126, 7430-7431.
563. Yamamoto R, Baba T, and Kumar PK (2000) Molecular beacon aptamer fluoresces in the presence of Tat protein of HIV-1. *Genes Cells* 5, 389-396.
564. Yamana K, Ohshita Y, Fukunaga Y, Nakamura M, and Maruyama A (2008) Bis-pyrene-labeled molecular beacon: A monomer-excimer switching probe for the detection of DNA base alteration. *Bioorg Med Chem* 16, 78-83.
565. Yang CJ, Lin H, and Tan W (2005) Molecular assembly of superquenchers in signaling molecular interactions. *J Am Chem Soc* 127, 12772-12773.
566. Yang CJ, Li JJ, and Tan W (2006) Using molecular beacons for sensitive fluorescence assays of the enzymatic cleavage of nucleic acids. *Methods Mol Biol* 335, 71-81.
567. Yang CJ, Wang L, Wu Y, Kim Y, Medley CD, Lin H, and Tan W (2007) Synthesis and investigation of deoxyribonucleic acid/locked nucleic acid chimeric molecular beacons. *Nucleic Acids Res* 35, 4030-4041.
568. Yang L, Cao Z, Lin Y, Wood WC, and Staley CA (2005) Molecular beacon imaging of tumor marker gene expression in pancreatic cancer cells. *Cancer Biol Ther* 4, 561-570.
569. Yang R, Jin J, Chen Y, Shao N, Kang H, Xiao Z, Tang Z, Wu Y, Zhu Z, and Tan W (2008) Carbon nanotube-quenched fluorescent oligonucleotides: probes that fluoresce upon hybridization. *J Am Chem Soc* 130, 8351-8358.

570. Yang R, Jin J, Long L, Wang Y, Wang H, and Tan W (2009) Reversible molecular switching of molecular beacon: controlling DNA hybridization kinetics and thermodynamics using mercury(ii) ions. *Chem Commun (Camb)* 322-324.
571. Yao G, Fang X, Yokota H, Yanagida T, and Tan W (2003) Monitoring molecular beacon DNA probe hybridization at the single-molecule level. *Chemistry* 9, 5686-5692.
572. Ye Q, Zhuang H, and Zhou C (2008) Detection of naphthalene by real-time immuno-PCR using molecular beacon. *Mol Cell Probes*.
573. Ying L, Wallace MI, and Klenerman D (2001) Two-state model of conformational fluctuation in a DNA hairpin-loop. *Chem Phys Lett* 334, 145-150.
574. Zeng J, Liu Q, Xu H, Wang H, Wang J, and Cai R (2005) Detection of DNA with catalytic beacons based on peroxidase-oxidase oscillating reaction. *Conf Proc IEEE Eng Med Biol Soc* 5, 4658-4661.
575. Zhang CY, Chao SY, and Wang TH (2005) Comparative quantification of nucleic acids using single-molecule detection and molecular beacons. *Analyst* 130, 483-488.
576. Zhang P, Beck T, and Tan W (2001) Design of a molecular beacon DNA probe with two fluorophores. *Angew Chem Int Ed Engl* 40, 402-405.
577. Zhang S, Yan Y, and Bi S (2009) Design of molecular beacons as signaling probes for adenosine triphosphate detection in cancer cells based on chemiluminescence resonance energy transfer. *Anal Chem*.
578. Zhang W, Cohenford M, Lentricchia B, Isenberg HD, Simson E, Li H, Yi J, and Zhang DY (2002) Detection of *Chlamydia trachomatis* by isothermal ramification amplification method: a feasibility study. *J Clin Microbiol* 40, 128-132.
579. Zhang Z, Guo L, Tang J, Guo X, and Xie J (2009) An aptameric molecular beacon-based "Signal-on" approach for rapid determination of rHuEPO-alpha. *Talanta* 80, 985-990.
580. Zhao J, He D, He H, Li L, Zhang LL, and Wang XY (2007) Primary application study in early diagnosis of bladder cancer by survivin molecular beacons. *Urology* 70, 60-64.
581. Zheleznaya LA, Perevyazova TA, Zheleznyakova EN, and Matvienko NI (2002) Some properties of site-specific nickase BspD6I and the possibility of its use in hybridization analysis of DNA. *Biochemistry (Mosc)* 67, 498-502.
582. Zheleznaya LA, Kopein DS, Rogulin EA, Gubanov SI, and Matvienko NI (2006) Significant enhancement of fluorescence on hybridization of a molecular beacon to a target DNA in the presence of a site-specific DNA nickase. *Anal Biochem* 348, 123-126.
583. Zoraida BS, Arock M, Ronald BS, and Ponalagusamy R (2009) A novel generalized design methodology and realization of Boolean operations using DNA. *Biosystems* 97, 146-153.
584. Zuo X, Yang X, Wang K, Tan W, and Wen J (2007) A novel sandwich assay with molecular beacon as report probe for nucleic acids detection on one-dimensional microfluidic beads array. *Anal Chim Acta* 587, 9-13.